

L Number	Hits	Search Text	DB	Time stamp
1	0	liu-qingyun.in	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/06 08:28
2	7	liu-qingyun.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/06 08:28
3	3	mcdonald-terrence-p.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/06 08:28
4	2	hg51	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/02/06 08:29

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal649jxm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2	Apr 08	"Ask CAS" for self-help around the clock
NEWS 3	Jun 03	New e-mail delivery for search results now available
NEWS 4	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 5	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS 6	Aug 26	Sequence searching in REGISTRY enhanced
NEWS 7	Sep 03	JAPIO has been reloaded and enhanced
NEWS 8	Sep 16	Experimental properties added to the REGISTRY file
NEWS 9	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS 10	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS 11	Oct 24	BEILSTEIN adds new search fields
NEWS 12	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 13	Nov 18	DKILIT has been renamed APOLLIT
NEWS 14	Nov 25	More calculated properties added to REGISTRY
NEWS 15	Dec 04	CSA files on STN
NEWS 16	Dec 17	PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS 17	Dec 17	TOXCENTER enhanced with additional content
NEWS 18	Dec 17	Adis Clinical Trials Insight now available on STN
NEWS 19	Jan 29	Simultaneous left and right truncation added to COMPENDEX, ENERGY, INSPEC
NEWS 20	Feb 13	CANCERLIT is no longer being updated
NEWS 21	Feb 24	METADEx enhancements
NEWS 22	Feb 24	PCTGEN now available on STN
NEWS 23	Feb 24	TEMA now available on STN
NEWS 24	Feb 26	NTIS now allows simultaneous left and right truncation
NEWS 25	Feb 26	PCTFULL now contains images
NEWS 26	Mar 04	SDI PACKAGE for monthly delivery of multifile SDI results
NEWS 27	Mar 20	EVENTLINE will be removed from STN
NEWS 28	Mar 24	PATDPAFULL now available on STN
NEWS 29	Mar 24	Additional information for trade-named substances without structures available in REGISTRY
NEWS 30	Apr 11	Display formats in DGENE enhanced
NEWS 31	Apr 14	MEDLINE Reload
NEWS 32	Apr 17	Polymer searching in REGISTRY enhanced
NEWS 33	Apr 21	Indexing from 1947 to 1956 being added to records in CA/CAPLUS
NEWS 34	Apr 21	New current-awareness alert (SDI) frequency in WPIDS/WPINDEX/WPIX
NEWS 35	Apr 28	RDISCLOSURE now available on STN
NEWS 36	May 05	Pharmacokinetic information and systematic chemical names added to PHAR
NEWS 37	May 15	MEDLINE file segment of TOXCENTER reloaded
NEWS 38	May 15	Supporter information for ENCOMPPAT and ENCOMPLIT updated
NEWS 39	May 16	CHEMREACT will be removed from STN
NEWS 40	May 19	Simultaneous left and right truncation added to WSCA
NEWS 41	May 19	RAPRA enhanced with new search field, simultaneous left and right truncation

NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
 MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
 AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 09:57:22 ON 28 MAY 2003

=> file medline biosis embase caplus
 COST IN U.S. DOLLARS

	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'MEDLINE' ENTERED AT 09:57:38 ON 28 MAY 2003

FILE 'BIOSIS' ENTERED AT 09:57:38 ON 28 MAY 2003
 COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

FILE 'EMBASE' ENTERED AT 09:57:38 ON 28 MAY 2003
 COPYRIGHT (C) 2003 Elsevier Science B.V. All rights reserved.

FILE 'CAPLUS' ENTERED AT 09:57:38 ON 28 MAY 2003
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

=> s liu qingyun /au
 L1 91 LIU QINGYUN

=> s mcdonald terrence /au
 L2 7 MCDONALD TERRENCE

=> s l1 and l2
 L3 2 L1 AND L2

=> d l3 total ibib

L3 ANSWER 1 OF 2 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
 ACCESSION NUMBER: 1999:204159 BIOSIS
 DOCUMENT NUMBER: PREV199900204159

TITLE: Cloning of a novel G-protein-coupled receptor GPR 51 resembling GABAB receptors expressed predominantly in nervous tissues and mapped proximal to the hereditary sensory neuropathy type 1 locus on chromosome 9.

AUTHOR(S): Ng, Gordon Y. K. (1); McDonald, Terrence; Bonnert, Tim; Rigby, Michael; Heavens, Robert; Whiting, Paul; Chateauneuf, Anne; Coulombe, Nathalie; Kargman, Stacia; Caskey, Thomas; Evans, Jilly; O'Neill, Gary P.; Liu, Qingyun

CORPORATE SOURCE: (1) Department of Biochemistry and Molecular Biology, Merck

SOURCE: Frosst Center for Therapeutic Research, 16711 TransCanada Highway, Kirkland, PQ, H9H 3L1 Canada
Genomics, (March 15, 1999) Vol. 56, No. 3, pp. 288-295.
ISSN: 0888-7543.
DOCUMENT TYPE: Article
LANGUAGE: English
SUMMARY LANGUAGE: English

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 1999:191160 CAPLUS
DOCUMENT NUMBER: 131:98163
TITLE: Cloning of a Novel G-Protein-Coupled Receptor GPR 51 Resembling GABAB Receptors Expressed Predominantly in Nervous Tissues and Mapped Proximal to the Hereditary Sensory Neuropathy Type 1 Locus on Chromosome 9
AUTHOR(S): Ng, Gordon Y. K.; McDonald, Terrence; Bonnert, Tim; Rigby, Michael; Heavens, Robert; Whiting, Paul; Chateauneuf, Anne; Coulombe, Nathalie; Kargman, Stacia; Caskey, Thomas; Evans, Jilly; O'Neill, Gary P.; Liu, Qingyun
CORPORATE SOURCE: Department of Biochemistry and Molecular Biology, Merck Frosst Center for Therapeutic Research, Kirkland, QC, H9H 3L1, Can.
SOURCE: Genomics (1999), 56(3), 288-295
CODEN: GNMCEP; ISSN: 0888-7543
PUBLISHER: Academic Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s hg51 (s) protein (s) coupled (s) receptor
L4 3 HG51 (S) PROTEIN (S) COUPLED (S) RECEPTOR

=> d l4 total ibib kwic

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2001:232346 CAPLUS
DOCUMENT NUMBER: 135:314242
TITLE: Characterization of a novel human opsin gene with wide tissue expression and identification of embedded and flanking genes on chromosome 1q43
AUTHOR(S): Halford, Stephanie; Freedman, Melanie S.; Bellingham, James; Inglis, Suzanne L.; Poopalasundaram, Subathra; Soni, Bobby G.; Foster, Russell G.; Hunt, David M.
CORPORATE SOURCE: Department of Molecular Genetics, Institute of Ophthalmology, University College London, London, EC1V 9EL, UK
SOURCE: Genomics (2001), 72(2), 203-208
CODEN: GNMCEP; ISSN: 0888-7543
PUBLISHER: Academic Press
DOCUMENT TYPE: Journal
LANGUAGE: English
REFERENCE COUNT: 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT 273191-92-7, G protein-coupled receptor
HG51 (human)
RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
(amino acid sequence; characterization of a novel human opsin gene with wide tissue expression and identification of embedded and flanking genes on chromosome 1q43)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2000:513802 CAPLUS
 DOCUMENT NUMBER: 133:130801
 TITLE: Cloning of a novel human G-protein-coupled receptor (GPCR)-17723 receptor cDNA and its therapeutic use
 INVENTOR(S): Glucksmann, Maria Alexandra
 PATENT ASSIGNEE(S): Millennium Pharmaceuticals, Inc., USA
 SOURCE: PCT Int. Appl., 79 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 5
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000043513	A1	20000727	WO 2000-US1592	20000121

W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1999-234923 A 19990121
 REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

IT 273191-92-7P, G **Protein-coupled receptor HG51** (human)
 RL: BPN (Biosynthetic preparation); BPR (Biological process); BSU (Biological study, unclassified); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses) (amino acid sequence; cloning of novel human G-protein-coupled receptor (GPCR)-17723 receptor cDNA and its therapeutic use)

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2000:368396 CAPLUS
 DOCUMENT NUMBER: 133:27864
 TITLE: Human G protein-coupled receptor HG51, its sequence, cDNA encoding it, recombinant production and use in methods designed to identify agonists and/or antagonists
 INVENTOR(S): Liu, Qingyun; McDonald, Terrence P.
 PATENT ASSIGNEE(S): Merck & Co., Inc., USA
 SOURCE: PCT Int. Appl., 68 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000031108	A1	20000602	WO 1999-US27305	19991118

W: CA, JP, US
 RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE

EP 1133515	A1	20010919	EP 1999-962792	19991118
------------	----	----------	----------------	----------

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI

PRIORITY APPLN. INFO.: US 1998-109717P P 19981124

REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

- TI Human G **protein-coupled receptor**
HG51, its sequence, cDNA encoding it, recombinant production and use in methods designed to identify agonists and/or antagonists
- AB The invention provides a cDNA mol. encoding a human G-**protein-coupled receptor**, HG51, as well as the **receptor** encoded by the cDNA mol. The invention also provides an expression vector (eukaryotic or prokaryotic) contg. HG51 cDNA mols. and host cells transformed with said vector, used for the recombinant prodn. of HG51. The invention further provides anti-HG51 antibodies. Still further, the invention provides methods for identifying substances that bind and/or modulate HG51, which include potential agonists and/or antagonists of HG51. The methods are cell based whereby an expression vector contg. polynucleotides encoding HG51 is transfected into a host cell, allowing for the recombinant prodn. of HG51 prior to addn. of the test substance. Finally, the invention provides the cDNA sequence, as well as the corresponding amino acid sequence of human HG51. The human **HG51 receptor** was shown to have sequence homol. to the rhodopsin subfamily of G **protein-coupled receptors**.
- ST cDNA sequence human G **protein coupled receptor**
HG51; recombinant prodn human G **protein coupled receptor** HG51; agonist human G **protein coupled receptor** HG51 method identification;
antagonist human G **protein coupled receptor** HG51 method identification
- IT G **protein-coupled receptors**
RL: BPN (Biosynthetic preparation); BPR (Biological process); BSU (Biological study, unclassified); BUU (Biological use, unclassified); PRP (Properties); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
(HG51; human G **protein-coupled receptor** HG51, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)
- IT Antibodies
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(antibodies specific for human G-**protein-coupled receptor** HG51)
- IT Cell membrane
(contains recombinant HG51; human G **protein-coupled receptor** HG51, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)
- IT Genetic vectors
(eukaryotic or prokaryotic; human G **protein-coupled receptor** HG51, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)
- IT Molecular cloning
Transformation, genetic
(human G **protein-coupled receptor** HG51, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)
- IT Ligands
RL: BPR (Biological process); BSU (Biological study, unclassified); BUU (Biological use, unclassified); BIOL (Biological study); PROC (Process); USES (Uses)
(of HG51; human G **protein-coupled receptor** HG51, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)

- IT cDNA sequences
(of cDNA encoding human G **protein-coupled receptor HG51**)
- IT Protein sequences
(of human G **protein-coupled receptor HG51**)
- IT 273191-92-7P, G **Protein-coupled receptor HG51** (human)
 RL: BPN (Biosynthetic preparation); BPR (Biological process); BSU (Biological study, unclassified); BUU (Biological use, unclassified); PRP (Properties); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)
 (amino acid sequence; human G **protein-coupled receptor HG51**, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)
- IT 273192-12-4D, subfragments are claimed
 RL: BUU (Biological use, unclassified); PRP (Properties); BIOL (Biological study); USES (Uses)
 (nucleotide sequence; cDNA mol. encoding human G-**protein-coupled receptor HG51**, its sequence and use in recombinant prodn. of **HG51**)
- IT 202544-98-7, 15: PN: WO0031108 SEQID: 3 unclaimed DNA 214908-88-0
 214908-89-1 214908-90-4 273192-88-4, 3: PN: WO0031108 SEQID: 4 unclaimed DNA 273192-89-5, 4: PN: WO0031108 SEQID: 5 unclaimed DNA 273192-90-8, 5: PN: WO0031108 SEQID: 6 unclaimed DNA 273192-91-9, 6: PN: WO0031108 SEQID: 7 unclaimed DNA 273192-92-0, 7: PN: WO0031108 SEQID: 8 unclaimed DNA 273192-93-1, 8: PN: WO0031108 SEQID: 9 unclaimed DNA 273192-94-2, 9: PN: WO0031108 SEQID: 10 unclaimed DNA 290797-99-8
 RL: PRP (Properties)
 (unclaimed nucleotide sequence; human G **protein-coupled receptor HG51**, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)
- IT 93050-34-1, Rhodopsin (human **protein moiety reduced**)
 RL: PRP (Properties)
 (unclaimed **protein** sequence; human G **protein-coupled receptor HG51**, its sequence, cDNA encoding it, recombinant prodn. and use in methods designed to identify agonists and/or antagonists)

SUMMARIES

Result No.	Score	% Match	Query Length	DB ID	Description
1	1470.4	95.7	2533	9 AF303588	AF303588 Homo sapi
2	1380.8	89.8	2110	9 AF140242	AF140242 Homo sapi
3	943.6	61.4	1737	10 AF140241	AF140241 Mus muscu
c 4	515.4	33.5	71872	9 AL133390	AL133390 Human DNA
c 5	424	27.6	5024	6 AX281720	AX281720 Sequence
c 6	422.4	27.5	5000	6 A68713	A68713 Sequence 5
c 7	422.4	27.5	5000	6 AR106624	AR106624 Sequence
c 8	422.4	27.5	5000	9 AF056032	AF056032 Homo sapi
9	400.4	26.1	449	6 AX013137	AX013137 Sequence
10	358	23.3	512	6 AX062411	AX062411 Sequence
c 11	317.2	20.6	8303	6 AX345325	AX345325 Sequence
12	299.4	19.5	8303	6 AX345324	AX345324 Sequence

RESULT 1

AF303588

LOCUS AF303588 2533 bp mRNA linear PRI 17-APR-2001

DEFINITION Homo sapiens panopsin (OPN3) mRNA, complete cds.

ACCESSION AF303588

VERSION AF303588.1 GI:13649589

KEYWORDS

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 2533)

AUTHORS Halford,S., Freedman,M.S., Bellingham,J., Inglis,S.L.,
Poopalasundaram,S., Soni,B.G., Foster,R.G. and Hunt,D.M.TITLE Characterization of a novel human opsin gene with wide tissue
expression and identification of embedded and flanking genes on
chromosome 1q43

JOURNAL Genomics 72 (2), 203-208 (2001)

MEDLINE 21295039

REFERENCE 2 (bases 1 to 2533)

AUTHORS Halford,S., Bellingham,J., Freedman,M.S., Inglis,S.L.,
Poopalasundaram,S., Foster,R. and Hunt,D.M.

TITLE Direct Submission

JOURNAL Submitted (05-SEP-2000) Molecular Genetics, Institute of
Ophthalmology, 11-43 Bath Street, London EC1V 9EL, UK

FEATURES

source

Location/Qualifiers

1. .2533

/organism="Homo sapiens"

/db_xref="taxon:9606"

/chromosome="1"

/map="1q43"

gene

1. .2533

/gene="OPN3"

CDS

103. .1311

/gene="OPN3"

/note="multiple tissue opsin"

/codon_start=1

/product="panopsin"

/protein_id="AAK37447.1"

/db_xref="GI:13649590"

/translation="MYSGNRSGGHGYWDGGGAAGAEGPAPAGTLPAPLFPSPGTYERL

ALLLGSIGLLGVGNLLVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFVSC

LRNGWVWDTVGCWWDGFSGLFGIVSIATLTVLAYERIRVHARVINFSWAWRAITY

IWLYSLAWAGAPLLGWNRYILDVHGLGCTVDWKSANDSSFFLFLGLVPLGVI

AHCYGHILYSIRMLRCVEDLQTIQVIKILKYKKLAKMCFMIFTFLVCWMPYIVICF

LVVNGHGHVLTPTISIVSYLFAKSNVTYNPVIYVFMIRKFRRLQLCLRLRCQRP

AKDLPAAGSEMQRPIVMSQKGDGRPKKVTFNSSSIIFIITSDESLSVDDSDKTNGS

KVDVIQVRPL"

BASE COUNT 640 a 592 c 567 g 734 t
ORIGIN

Query Match 95.7%; Score 1470.4; DB 9; Length 2533;
Best Local Similarity 99.6%; Pred. No. 7.8e-229;
Matches 1474; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

```
QY   58 cagagcaggcgggcgagccccagccccacccagtcggagcgcgccgagccccgcccgc 117
      |||
Db   1  CGGACGCGTGGGCGGAGCCCCAGCCCCACCCAGTGCAGGAGCGCGCCGAGCCCCGCCGC 60

QY  118 aagctgagcgccctccgcccgcaggcgccggcgccggccatgtactcggggaaccgc 177
      |||
Db  61  AAGCTGAGCGCCTCCGCCCGCAGGCGCGCCGGCGCCGGGCCATGTACTCGGGGAACCGC 120

QY  178 agcggcgccacggctactgggacggcgggcgccggcgccgctgagggcgccggcgccg 237
      |||
Db 121  AGCGGCGGCCACGGCTACTGGGACGGCGGGCGGGCGCGGCGCTGAGGGGCGGCGCCG 180

QY  238 gcggggacactgagccccgcgcctcttcagccccggcacctacgagcgccctggcgctg 297
      |||
Db 181  GCGGGGACACTGAGCCCCGCGCCCTCTTCAGCCCCGGCACCTACGAGCGCCTGGCGCTG 240

QY  298 ctgctgggctccattgggctgctggcgctcggaacaacctgctggtgctcgtcctctac 357
      |||
Db 241  CTGCTGGGCTCCATTGGGCTGCTGGGCGTCGGCAACAACCTGCTGGTGCTCGTCCTCTAC 300

QY  358 tacaagttccagcggtccgcactccactcacctcctcctggtcaacatcagcctcagc 417
      |||
Db 301  TACAAGTTCAGCGGCTCCGCACTCCCACTCACCTCCTCCTGGTCAACATCAGCCTCAGC 360

QY  418 gacctgctggtgtccctcttcgggggtcacctttaccttcgtgtcctgcctgaggaacggc 477
      |||
Db 361  GACCTGCTGGTGTCCTCTTCGGGGTCACCTTTACCTTCGTGTCTGCCTGAGGAACGGC 420

QY  478 tgggtgtgggacaccggtgggctgctgtgggacgggtttagcggcagcctcttcgggatt 537
      |||
Db 421  TGGGTGTGGGACACCGTGGGCTGCGTGTGGGACGGGTTAGCGGCAGCCTCTTCGGGATT 480

QY  538 gtttccattgccaccctaaccgtgctggcctatgaacgttacattcgcggtggtccatgcc 597
      |||
Db 481  GTTTCATTGCCACCCTAACCGTGCTGGCCTATGAACGTTACATTGCGGTGCTCCATGCC 540

QY  598 agagtgatcaatttttctgggctggaggccattacctacatctggctctactcactg 657
      |||
Db 541  AGAGTGATCAATTTTCTGGGCTGGAGGGCCATTACCTACATCTGGCTCTACTCACTG 600

QY  658 gcgtgggacaggagcacctctcctggggtggaacaggtacatcctggacgtacacggacta 717
      |||
Db 601  GCGTGGGACAGGACACCTCTCTGGGATGGAACAGGTACATCCTGGACGTACACGGACTA 660

QY  718 ggctgcactgtggactggaatccaaggatgccaacgattcctcctttgtgcttttctta 777
      |||
Db 661  GGCTGCACTGTGGACTGGAATCCAAGGATGCCAACGATTCTCTCTTTGTGCTTTTCTTA 720

QY  778 tttcttggtgcctggtggtgcccctgggtgtcatagccattgctatggccatattcta 837
      |||
Db 721  TTTCTTGGCTGCCTGGTGGTGCCCCGGGTGTATAGCCCATTTGCTATGGCCATATTCTA 780

QY  838 tattccattcgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagatt 897
      |||
Db 781  TATTCCATTGCAATGCTTCGTGTGTGGAAGATCTTCAGACAATTCAAGTGATCAAGATT 840

QY  898 ttaaaatatgaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggtc 957
      |||
Db 841  TTAATAATATGAAAAGAACTGGCCAAAATGTGCTTTTAAATGATATTACCTTCCTGGTC 900

QY  958 tgttggtgccttatatcgatgctgcttcttggtggttaatggatggtcacctggtc 1017
      |||
Db 901  TGTGGATGCCTTATATCGTGATCTGCTTCTTGGTGGTTAATGGTCATGGTCACCTGGTC 960
```

Qy 1018 actccaacaatatctattgtttcgtacctctttgctaaatcgaacactgtataacaatcca 1077
 |||
 Db 961 ACTCCAACAATATCTATTGTTTCGTACCTCTTTGCTAAATCGAACACTGTATACAATCCA 1020
 Qy 1078 gtgatttatgtcttcgatcagaaagtttcgaagatcccttttgcagcttctgtgcctc 1137
 |||
 Db 1021 GTGATTTATGTCTTCATGATCAGAAAGTTTCGAAGATCCCTTTTGCAGCTTCTGTGCCTC 1080
 Qy 1138 cgactgctgaggtgccagaggcctgctaagacctaccagcagctggaagtgaatgcag 1197
 |||
 Db 1081 CGACTGCTGAGGTGCCAGAGGCTGTAAAGACCTACCAGCAGCTGGAAGTGAAATGCAG 1140
 Qy 1198 atcagaccatttgtgatgtcacagaaagatggggacaggccaaagaaaaagtgactttc 1257
 |||
 Db 1141 ATCAGACCCATTGTGATGTCACAGAAAGATGGGGACAGGCCAAAGAAAAAGTACTTTC 1200
 Qy 1258 aactcttcttccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagc 1317
 |||
 Db 1201 AACTCTTCTTCCATCATTTTTATCATCACCAGTGATGAATCACTGTCTAGTTGACGACAGC 1260
 Qy 1318 gacaaaaccaatgggtccaaagttgatgtaatccaagttcgctctttgtaggaatgaaga 1377
 |||
 Db 1261 GACAAAACCAATGGGTCCAAAGTTGATGTAATCCAAGTTCGTCCTTTGTAGGAATGAAGA 1320
 Qy 1378 atggcaacgaagatggggccttaaaattggatgccacttttgactttcatcataagaag 1437
 |||
 Db 1321 ATGGCAACGAAAGATGGGGCCTTAAATTGGATGCCACTTTTGGACTTTCATCATAAGAAG 1380
 Qy 1438 tgtctggaatacccggttctatgtaatatcaacagAACCTTGTGGTCCAGCAGGAAATCCG 1497
 |||
 Db 1381 TGTCTGGAATACCCGTTCTATGTAATATCAACAGAACCTTGTGGTCCAGCAGGAAATCCG 1440
 Qy 1498 aattgcccataatgctcttgggcctcaggaagaggttgaac 1537
 |||
 Db 1441 AATTGCCCATATGCTCTTGGGCCTCAGGAAGAGGTTGAAC 1480

RESULT 2

AF140242

LOCUS AF140242 2110 bp mRNA linear PRI 27-MAY-1999

DEFINITION Homo sapiens encephalopsin mRNA, complete cds.

ACCESSION AF140242

VERSION AF140242.1 GI:4894951

KEYWORDS

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 2110)

AUTHORS Blackshaw, S. and Snyder, S.H.

TITLE Encephalopsin: A novel mammalian extraretinal opsin discretely
 localized in the brain

JOURNAL J. Neurosci. 19 (10), 3681-3690 (1999)

MEDLINE 99252448

PUBMED 10234000

REFERENCE 2 (bases 1 to 2110)

AUTHORS Blackshaw, S. and Snyder, S.H.

TITLE Direct Submission

JOURNAL Submitted (02-APR-1999) Genetics, Harvard Medical School, 200
 Longwood Ave., Boston, MA 02115, USA

FEATURES

source Location/Qualifiers

1..2110

/organism="Homo sapiens"

/db_xref="taxon:9606"

CDS

56..1267

/note="extraretinal opsin"

/codon_start=1

/product="encephalopsin"

/protein_id="AAD32671.1"

/db_xref="GI:4894952"

BASE COUNT	522 a	516 c	480 g	592 t
ORIGIN				

Query Match 89.8%; Score 1380.8; DB 9; Length 2110;
Best Local Similarity 98.3%; Pred. No. 2.6e-214;
Matches 1421; Conservative 0; Mismatches 12; Indels 13; Gaps 2;

Qy 105 cgagccccgcgcgaagctgagcgccctccgccccgcaggcgccgcggcgccgcatgta 164
Db 1 CGAGCCCCCGCCGAAGCTGAGCGCCTCCGCCCGCCAGGCGCGCCGGCGCCGGCCATGTA 60

Qy 165 ctcggggaacgcagcgccgcccagcgctactgggacggcgccggggccgcccgcgtga 224
Db 61 CTCGGGAACCGCAGCGCGGCCACGGCTACTGGGACGGCGGGGCCGCGGGCGCTGA 120

Qy 225 ggggccccgcgcggcgccgggacactgagccccgcgccctcttcagccccggcacctacga 284
Db 121 GGGGCGCGCGCCGGCGGGGACACTGAGCCCCGCGCCCTCTTCAGCCCCGGCACCTACGA 180

Qy 285 gcgcctggcgctgctgctgggctccattgggctgctggcgctcggaacaacctgctggt 344
Db 181 GCGCCTGGCGCTGCTGCTGGGCTCCATTGGGCTGCTGGGCGTCGGCAACAACCTGCTGTT 240

Qy 345 gctcgtcctctactacaagttccagcgctccgcactccactcacctcctcctgggtcaa 404
Db 241 GCTCGTCTCTACTACAAGTTCACGCGCTCCGCACTCCCACTCACCTCTCTGGTCAA 300

Qy 405 catcagcctcagcgacctgctgggtgctccctcttcgggggtcacctttaccttcgtgtcctg 464
Db 301 CATCAGCCTCAGCGACCTGCTGGTGTCCCTCTTCGGGGTCACCTTTACCTTCGTGTCTGT 360

Qy 465 cctgaggaacggctgggtgtgggacacgctgggctgcgtgtgggacgggttttagcggcag 524
Db 361 CCTGAGGAACGGCTGGGTGTGGGACACCGTGGGCTGCGTGTGGGACGGGTTTAGCGGCAG 420

Qy 525 cctcttcgggattgtttccattgcccaccctaaccgtgctggcctatgaacgttacattcg 584
Db 421 CCTCTTCGGGATTGTTTCCATTGCCACCCTAACCGTGTGGCCTATGAACGTACATTCTG 480

Qy 585 cgtgggtccatgccagagtgatcaatttttccctgggcctggagggccattacctacatctg 644
Db 481 CGTGGTCCATGCCAGAGTGATCAATTTTCTGGGCCTGGAGGGCCATTACCTACATCTG 540

Qy 645 gctctactactggcgctgggcaggagcacctctcctgggatggaacaggtacatcctgga 704
Db 541 GCTCTACTACTGGCGTGGGACAGGACACCTCTCTGGGATGGAACAGGTACATCCTGGA 600

Qy 705 cgtacacggactaggtgacactgtggactggaaatccaaggatgccaacgattcctcctt 764
Db 601 CGTACACGGACTAGGCTGCACTGTGGACTGGAAATCCAAGGATGCCAACGATTCTCTCTT 660

Qy 765 tgtgcttttcttatttcttggtgcctgggtggtgccccctgggtgtcatagcccattgcta 824
Db 661 TGTGCTTTTCTTATTCTTGGCTGCCTGGTGGTGCCCCCTGGGTGTCTAGCCATTGCTA 720

Qy 825 tggccatattctatattccattcgaatgcttcgttgtgtggaagatcttcagacaattca 884
Db 721 TGGCCATATTCTATATTCCATTGCAATGCTTCGTTGTGTGGAAGATCTTCAGACAATTCA 780

Qy 885 agtgatcaagattttaaaatatgaaaagaaactggccaaaatgtgctttttaatgatatt 944
Db 781 AGTGATCAAGATTTTAAATATGAAAAGAACTGGCCAAAATGTGCTTTTAAATGATATT 840

Qy 945 caccttcctgggtctgttggtatgccttatatcgtgatctgcttcttgggtggttaatggtca 1004
 |||||
 Db 841 CACCTTCCTGGTCTGTTGGATGCCTTATATCGTGATCTGCTTCTTGGTGGTTAATGGTCA 900
 Qy 1005 tggtcacctgggtcactccaacaatatctattgtttcgtacctcttctgctaaatcgaaacac 1064
 |||||
 Db 901 TGGTCACCTGGTCACTCCAACAATATCTATTGTTTCGTACCTCTTGTCTAAATCGAACAC 960
 Qy 1065 tgtatacaatccagtgattttatgtcttcgatgatcagaaagtttcgaagatcccttttgca 1124
 |||||
 Db 961 TGTATACAATCCAGTGATTTATGTCTTCATGATCAGAAAGTTTCGAAGATCCCTTTTGCA 1020
 Qy 1125 gcttctgtgcctccgactgctgaggtgccagaggcctgctaaagacctaccagcagctgg 1184
 |||||
 Db 1021 GCTTCTGTGCCTCCGACTGCTGAGGTGCCAGAGGCTGCTAAAGACCTACCAGCAGCTGG 1080
 Qy 1185 aagtgaatgcagatcagaccattgtgatgtcacagaaagatggggacaggccaaagaa 1244
 |||||
 Db 1081 AAGTGAATGCAGATCAGACCCATTGTGATGTACAGAAAGATGGGGACAGGCCAAAGAA 1140
 Qy 1245 aaaagtgaactttcaactcttcttccatcatTTTTATCATCACCAGTGATGAATCACTGTC 1304
 |||||
 Db 1141 AAAAGTGACTTTCAACTCTTCTCCATCATTTTTATCATCACCAGTGATGAATCACTGTC 1200
 Qy 1305 agttgacgacagcgacaaaaccaatgggtccaaa---gttgatgtaatccaagttcgtcc 1361
 |||||
 Db 1201 AGTTGACGACAGCGACAAAACCATTTGGGGTCCAAAGTTTGATGTTAATCCAAGTTTCGTCC 1260
 Qy 1362 tttgtaggaatgaagaatggcaacgaaagatggggccttaaattggatgccacttttggga 1421
 |||||
 Db 1261 TTTGTAGGAATGAAGGATGGCAACGAAAGGTGGGGCCTTAAATTGGATGCCACTTTTGGGA 1320
 Qy 1422 ctttcatcat-----aagaagtgtctggaatacccggtctatgtaatatcaacag 1471
 |||||
 Db 1321 CTTTCATCATCCTCCTGAAGAAGAGTGTCTGGAATACCCGTTCTATGTAATATCAACAG 1380
 Qy 1472 aaccttgtggtccagcaggaatccgaattgcccataatgctcttgggcctcaggaagagg 1531
 |||||
 Db 1381 AACCTTGTGGTCCAGCAGGAAATCCGAATTGCCATATGCTCTTGGGCCTCAGGAAGAGG 1440
 Qy 1532 ttgaac 1537
 |||||
 Db 1441 TTGAAC 1446

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	1537	100.0	1537	21	AAA38861	Human G-protein co
2	1459	94.9	2144	21	AAA73212	Human 17723 recept
3	1373.2	89.3	2037	22	AAD19720	Dendritic cell (DC
4	1028	66.9	1697	22	AAF33051	Human secreted pro
5	687.8	44.7	1267	21	AZ34604	Human receptor mol
6	644.4	41.9	1763	21	AAC69518	Human secreted pro
7	437	28.4	619	22	AAD19721	Dendritic cell (DC
c 8	435	28.3	12291	22	AAK79265	Human immune/haema
c 9	424	27.6	5024	24	AAS94874	Human DNA sequence
c 10	422.4	27.5	5000	19	AAV20609	Human kynurenine-3
11	400.4	26.1	449	20	AAZ42057	Human endometrium

AAA38861

ID AAA38861 standard; cDNA; 1537 BP.

XX

AC AAA38861;

XX

DT 31-AUG-2000 (first entry)
 XX
 DE Human G-protein coupled receptor, HG51, coding sequence.
 XX
 KW Human; G-protein coupled receptor; HG51; signal transduction;
 KW rhodopsin receptor; obesity; type II diabetes;
 KW inflammatory bowel disease; constipation; diarrhoea; gene therapy; ss.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT CDS 160..1368
 FT /*tag= a
 FT /product= "Human HG51"
 XX
 PN WO200031108-A1.
 XX
 PD 02-JUN-2000.
 XX
 PF 18-NOV-1999; 99WO-US27305.
 XX
 PR 24-NOV-1998; 98US-0109717.
 XX
 PA (MERI) MERCK & CO INC.
 XX
 PI Liu Q, McDonald TP;
 XX
 DR WPI; 2000-400025/34.
 DR P-PSDB; AAY98008.
 XX
 PT New DNA encoding human HG51 (a G-protein coupled receptor), useful in
 PT chromosomal mapping studies for identifying the chromosomal locations
 PT of the HG51 gene(s) -
 XX
 PS Claim 1; Fig 1; 68pp; English.
 XX
 CC G protein-coupled receptors (GPCR) are important in signal transduction
 CC from the exterior to the interior of cells. Rhodopsin receptors are a
 CC type of GPCR which comprise a chromophore-binding pocket which is
 CC covalently linked by a protonated Schiff base to a Lys residue in
 CC transmembrane domain 7. The present sequence is the coding sequence of
 CC the human HG51 GPCR and is a member of the rhodopsin receptor family of
 CC GPCRs. Due to the Lys residue and Schiff base present in HG51, it is
 CC thought that the HG51 ligand may be a fatty-acid-like molecule. It is
 CC also believed that agonists and antagonists of HG51 are useful for
 CC treating various disorders such as obesity, type II diabetes,
 CC inflammatory bowel disease, constipation or diarrhoea. In addition, the
 CC present sequence may be used in gene therapy for the above mentioned
 CC disorders.
 XX
 SQ Sequence 1537 BP; 320 A; 426 C; 421 G; 370 T; 0 other;

Query Match 100.0%; Score 1537; DB 21; Length 1537;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1537; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

QY      1 gggggccacgggggtgcgcggcgcgcggtagcgcggggccctcagtgcaaatggccag 60
      |||
Db      1 gggggccacgggggtgcgcggcgcgcggtagcgcggggccctcagtgcaaatggccag 60

QY     61 agcaggcgggcgagccccagccccaccagtcggagcgcgccgagccccgcccgaag 120
      |||
Db     61 agcaggcgggcgagccccagccccaccagtcggagcgcgccgagccccgcccgaag 120

QY    121 ctgagcgccctccgccgcccagggcgcgccggcgccgggcatgtactcggggaaccgcagc 180
      |||
Db    121 ctgagcgccctccgccgcccagggcgcgccggcgccgggcatgtactcggggaaccgcagc 180

QY    181 ggcggccacggctactgggacggcgggcgggcgggcgctgaggggcccggcgccggcg 240
      |||

```

Db 181 ggcggccacggctactgggacggcgggcgggcgggcgctgaggggcccggcgccggcg 240
 QY 241 gggacactgagccccgcgccctcttcagccccggcacctacgagcgctggcgctgctg 300
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 241 gggacactgagccccgcgccctcttcagccccggcacctacgagcgctggcgctgctg 300
 QY 301 ctgggctccattgggctgctggcgctcggaacaacctgctgggtgctcgtcctctactac 360
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 301 ctgggctccattgggctgctggcgctcggaacaacctgctgggtgctcgtcctctactac 360
 QY 361 aagttccagcggtccgcactcccactcacctcctcctgggtcaacatcagcctcagcgac 420
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 aagttccagcggtccgcactcccactcacctcctcctgggtcaacatcagcctcagcgac 420
 QY 421 ctgctgggtgctcctcttcgggggtcacctttaccttcgtgctcctgctgaggaacggctgg 480
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 421 ctgctgggtgctcctcttcgggggtcacctttaccttcgtgctcctgctgaggaacggctgg 480
 QY 481 gtgtgggacacgctgggctgctggtgggacgggttagcggcagcctcttcgggattgtt 540
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 481 gtgtgggacacgctgggctgctggtgggacgggttagcggcagcctcttcgggattgtt 540
 QY 541 tccattgccaccctaaccgtgctggcctatgaacgttacattcgcggtggtccatgccaga 600
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 541 tccattgccaccctaaccgtgctggcctatgaacgttacattcgcggtggtccatgccaga 600
 QY 601 gtgatcaatttttctgggctggaggggcattacctacatctggctctactcactggcg 660
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 601 gtgatcaatttttctgggctggaggggcattacctacatctggctctactcactggcg 660
 QY 661 tgggcaggagcacctctcctgggatggaacaggtacatcctggagctacacggactaggc 720
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 661 tgggcaggagcacctctcctgggatggaacaggtacatcctggagctacacggactaggc 720
 QY 721 tgcactgtggactggaaatccaaggatgccaacgattcctcctttgtgcttttcttattt 780
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 721 tgcactgtggactggaaatccaaggatgccaacgattcctcctttgtgcttttcttattt 780
 QY 781 cttggctgcctgggtggtgcccctggggtgcatagccattgctatggccatattctatat 840
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 781 cttggctgcctgggtggtgcccctggggtgcatagccattgctatggccatattctatat 840
 QY 841 tccattcgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagatttta 900
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 841 tccattcgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagatttta 900
 QY 901 aaatatgaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggctgt 960
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 901 aaatatgaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggctgt 960
 QY 961 tggatgccttatatcgtgatctgcttcttggtggttaatgggtcatgggtcacctggctcact 1020
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 961 tggatgccttatatcgtgatctgcttcttggtggttaatgggtcatgggtcacctggctcact 1020
 QY 1021 ccaacaatatctattgtttcgtacctctttgctaaatcgaacactgtatacaatccagt 1080
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1021 ccaacaatatctattgtttcgtacctctttgctaaatcgaacactgtatacaatccagt 1080
 QY 1081 atttatgtcttcgatgatcagaaagtttcgaagatcccttttgagcttctgtgctccga 1140
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1081 atttatgtcttcgatgatcagaaagtttcgaagatcccttttgagcttctgtgctccga 1140
 QY 1141 ctgctgaggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatc 1200
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1141 ctgctgaggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatc 1200
 QY 1201 agaccattgtgatgtcacagaaagatggggacaggccaaagaaaaagtgactttcaac 1260
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1201 agaccattgtgatgtcacagaaagatggggacaggccaaagaaaaagtgactttcaac 1260
 QY 1261 tcttcttccatcatttttatcatcaccagtgtgaatcactgtcagttgacgacagcgac 1320

```

Db 1261 |||||tcttccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagcgac 1320
QY 1321 aaaaccaatgggtccaaagttgatgtaatccaagttcgctctttgtaggaatgaagaatg 1380
Db 1321 |||||aaaaccaatgggtccaaagttgatgtaatccaagttcgctctttgtaggaatgaagaatg 1380
QY 1381 gcaacgaagatggggccttaaatggatgccacttttgactttcatcataagaagtgt 1440
Db 1381 |||||gcaacgaagatggggccttaaatggatgccacttttgactttcatcataagaagtgt 1440
QY 1441 ctggaatacccggttctatgtaatatcaacagaacctgtggtccagcaggaaatccgaat 1500
Db 1441 |||||ctggaatacccggttctatgtaatatcaacagaacctgtggtccagcaggaaatccgaat 1500
QY 1501 tgcccatatgctcttgggcctcaggaagaggttgaac 1537
Db 1501 |||||tgcccatatgctcttgggcctcaggaagaggttgaac 1537

```

RESULT 2

AAA73212

ID AAA73212 standard; cDNA; 2144 BP.

XX

AC AAA73212;

XX

DT 05-DEC-2000 (first entry)

XX

DE Human 17723 receptor protein encoding cDNA SEQ ID NO:2.

XX

KW Human; 17723 receptor protein; chromosome 1q42-44; diagnosis; vaccine;
KW G-protein coupled receptor; gene therapy; ss.

XX

OS Homo sapiens.

XX

PN WO200043513-A1.

XX

PD 27-JUL-2000.

XX

PF 21-JAN-2000; 2000WO-US01592.

XX

PR 21-JAN-1999; 99US-0234923.

XX

PA (MILL-) MILLENNIUM PHARM INC.

XX

PI Glucksmann MA;

XX

DR WPI; 2000-476196/41.

DR

P-PSDB; AAB12827.

XX

PT A G-protein-coupled receptor designated 17723 and the nucleic acids
PT that encode it, useful for preventing, diagnosing and treating disorder
PT associated with inappropriate expression of 17723 receptors -

XX

PS Claim 3; Page 72-73; 79pp; English.

XX

CC The present sequence encodes the human 17723 receptor protein (I), which
CC belongs to the superfamily of G-protein-coupled receptors. (I) and the
CC polynucleotide encoding it may be used in the prevention, treatment and
CC diagnosis of diseases associated with inappropriate 17723 receptor
CC expression. They may also be used to study the expression and function
CC of 17723 receptor polypeptides and their role in metabolism. The 17723
CC receptor polypeptides may be used as antigens in the production of
CC antibodies against 17723 receptors and in assays to identify modulators
CC (agonists and antagonists) of 17723 receptor expression and activity.
CC The anti-17723 receptor antibodies and 17723 receptor antagonists may be
CC used to down regulate 17723 receptor expression and activity. The
CC anti-17723 receptor antibodies may also be used as diagnostic agents for
CC detecting the presence of 17723 receptor polypeptides in samples
CC (e.g. by enzyme linked immunosorbent assay (ELISA)). The 17723 receptor
CC protein has been mapped to chromosome 1q42-44.

SQ Sequence 2144 BP; 525 A; 531 C; 496 G; 590 T; 2 other;

Query Match 94.9%; Score 1459; DB 21; Length 2144;
Best Local Similarity 99.9%; Pred. No. 0;
Matches 1470; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

Qy	67	cggcgagccccagccccaccagtcgaggagcgcgccgcgagccccgcgcgaagctgagc	126
Db	1	cggcgagccccag-cccaccagtcgaggagcgcgccgcgagccccgcgcgaagctgagc	59
Qy	127	gcctccgccccgccaggcgcgccggcgccgggccatgtactcggggaaccgcagcggcggc	186
Db	60	gcctccgccccgccaggcgcgccggcgccgggccatgtactcggggaaccgcagcggcggc	119
Qy	187	cacggctactgggacggcgcgccggggccgcggcgctgaggggcccgcgcggcggggaca	246
Db	120	cacggctactgggacggcgcgccggggccgcggcgctgaggggcccgcgcggcggggaca	179
Qy	247	ctgagccccgcgcacctcttcagccccggcacctacgagcgctggcgctgctgctgggc	306
Db	180	ctgagccccgcgcacctcttcagccccggcacctacgagcgctggcgctgctgctgggc	239
Qy	307	tccattgggctgctggcgctcggaacaacctgctggtgctcgctcctctactacaagttc	366
Db	240	tccattgggctgctggcgctcggaacaacctgctggtgctcgctcctctactacaagttc	299
Qy	367	cagcggtccgcactccactcacctcctcctgggtcaacatcagcctcagcgacctgctg	426
Db	300	cagcggtccgcactccactcacctcctcctgggtcaacatcagcctcagcgacctgctg	359
Qy	427	gtgtccctcttcggggtcacctttaccttcgtgtcctgctgaggaacggctgggtgtgg	486
Db	360	gtgtccctcttcggggtcacctttaccttcgtgtcctgctgaggaacggctgggtgtgg	419
Qy	487	gacaccgtgggctgcgtgtgggacgggtttagcggcagcctcttcgggattgtttccatt	546
Db	420	gacaccgtgggctgcgtgtgggacgggtttagcggcagcctcttcgggattgtttccatt	479
Qy	547	gccaccctaaccgtgctggcctatgaacgttacattcgcggtggtccatgccagagtgatc	606
Db	480	gccaccctaaccgtgctggcctatgaacgttacattcgcggtggtccatgccagagtgatc	539
Qy	607	aatttttctgggctggagggccattacctacatctggtctactactggcggtggca	666
Db	540	aatttttctgggctggagggccattacctacatctggtctactactggcggtggca	599
Qy	667	ggagcacctctcctgggatggaacaggtagcatcctggacgtacacggactaggctgcact	726
Db	600	ggagcacctctcctgggatggaacaggtagcatcctggacgtacacggactaggctgcact	659
Qy	727	gtggactggaatccaaggatgccaacgattcctccttgtgcttttctatttcttggc	786
Db	660	gtggactggaatccaaggatgccaacgattcctccttgtgcttttctatttcttggc	719
Qy	787	tgctgggtggtgccctgggtgtcatagccattgctatggccatattctatattccatt	846
Db	720	tgctgggtggtgccctgggtgtcatagccattgctatggccatattctatattccatt	779
Qy	847	cgaatgcttcgctgtgtggaagatcttcagacaattcaagtgatcaagattttaaaatat	906
Db	780	cgaatgcttcgctgtgtggaagatcttcagacaattcaagtgatcaagattttaaaatat	839
Qy	907	gaaaagaaactggccaaaatgtgctttttaatgatattcaccttctgggtctgttgatg	966
Db	840	gaaaagaaactggccaaaatgtgctttttaatgatattcaccttctgggtctgttgatg	899
Qy	967	ccttatatcgtgatctgcttcttgggtggttaatggtcatggtcacctggctcactccaaca	1026
Db	900	ccttatatcgtgatctgcttcttgggtggttaatggtcatggtcacctggctcactccaaca	959

Qy 1027 atatctattgtttcgtacctcttttgctaaatcgaacactgtatacaatccagtgatttat 1086
 |||
 Db 960 atatctattgtttcgtacctcttttgctaaatcgaacactgtatacaatccagtgatttat 1019
 |||
 Qy 1087 gtcttcatgatcagaaagtttcgaagatcccttttgagcttctgtgcctccgactgctg 1146
 |||
 Db 1020 gtcttcatgatcagaaagtttcgaagatcccttttgagcttctgtgcctccgactgctg 1079
 |||
 Qy 1147 aggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatcagaccc 1206
 |||
 Db 1080 aggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatcagaccc 1139
 |||
 Qy 1207 attgtgatgtcacagaagatggggacaggccaaagaaaaaagtgactttcaactcttct 1266
 |||
 Db 1140 attgtgatgtcacagaagatggggacaggccaaagaaaaaagtgactttcaactcttct 1199
 |||
 Qy 1267 tccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagcgacaaaacc 1326
 |||
 Db 1200 tccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagcgacaaaacc 1259
 |||
 Qy 1327 aatgggtccaaagttgatgtaatccaagttcgtcctttgttagaatgaagaatggcaacg 1386
 |||
 Db 1260 aatgggtccaaagttgatgtaatccaagttcgtcctttgttagaatgaagaatggcaacg 1319
 |||
 Qy 1387 aaagatggggccttaaatggatgccacttttgactttcatcataagaagtgtctggaa 1446
 |||
 Db 1320 aaagatggggccttaaatggatgccacttttgactttcatcataagaagtgtctggaa 1379
 |||
 Qy 1447 taccggttctatgtaatatcaacagaaccttgtggtccagcaggaaatccgaattgccca 1506
 |||
 Db 1380 taccggttctatgtaatatcaacagaaccttgtggtccagcaggaaatccgaattgccca 1439
 |||
 Qy 1507 tatgctcttgggcctcaggaagaggttgaac 1537
 |||
 Db 1440 tatgctcttgggcctcaggaagaggttgaac 1470
 |||

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
c 1	422.4	27.5	5000	3	US-09-147-522-5	Sequence 5, Appli
2	107.6	7.0	3016	1	US-07-805-123C-1	Sequence 1, Appli
3	107.6	7.0	3016	1	US-08-033-081B-1	Sequence 1, Appli
4	78	5.1	1105	2	US-08-466-103A-15	Sequence 15, Appl
5	73	4.7	1410	4	US-09-255-368-1	Sequence 1, Appli
6	69.2	4.5	1420	1	US-08-358-171-1	Sequence 1, Appli
7	69.2	4.5	1420	3	US-09-090-947-1	Sequence 1, Appli
8	67.2	4.4	1293	4	US-09-255-368-7	Sequence 7, Appli
9	67	4.4	1776	1	US-08-722-001-29	Sequence 29, Appl
10	65.4	4.3	2140	1	US-08-334-698-1	Sequence 1, Appli
11	65.4	4.3	2140	1	US-08-228-932-1	Sequence 1, Appli
12	65.4	4.3	2140	1	US-08-468-939-1	Sequence 1, Appli

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	660.8	43.0	789	10	BI818538	BI818538 603033059
2	644.8	42.0	770	10	BI260681	BI260681 602968193
3	609.8	39.7	909	10	BE894106	BE894106 601438234
4	580.8	37.8	736	10	BI086726	BI086726 602850078
5	577.2	37.6	835	10	BF970560	BF970560 602274056
6	575	37.4	850	10	BI757207	BI757207 603030709
7	565.4	36.8	748	10	BG252201	BG252201 602365072
8	515.8	33.6	741	10	BG564220	BG564220 602586010
9	467.8	30.4	788	10	BF977798	BF977798 602148633
10	461.8	30.0	784	10	BI758685	BI758685 603024224

11	426.8	27.8	631	9	BB640431
12	426	27.7	819	10	BI088684
13	423	27.5	424	10	BM194008
14	406.8	26.5	742	10	BI257225
15	398.4	25.9	615	10	BF132059

BB640431	BB640431
BI088684	602851458
BM194008	TCAAP1E64
BI257225	602976885
BF132059	601821062

SEQ ID NO: 2

SUMMARIES

Result No.	Score	% Match	Query Length	DB	ID	Description
1	2117	100.0	402	21	AAB12827	Human 17723 recept
2	2117	100.0	402	21	AA98008	Human G-protein co
3	2105	99.4	402	22	AAE12070	Dendritic cell (DC
4	1063	50.2	199	22	AAB64743	Human secreted pro
5	756	35.7	147	21	AA932195	Human receptor mol
6	664	31.4	163	22	AAE12071	Dendritic cell (DC
7	664	31.4	879	22	AAU31008	Novel human secret
8	572	27.0	123	20	AA960172	Human endometrium
9	564	26.6	122	21	AAB38327	Human secreted pro
10	459.5	21.7	349	10	AA90554	Bovine rhodopsin.
11	455	21.5	348	17	AA93116	Rhodopsin. Homo s
12	451	21.3	348	21	AA98009	Human rhodopsin re
13	449	21.2	348	14	AA38483	Rhodopsin protein.
14	424	20.0	354	21	AA957086	Rhodopsin amino ac
15	420.5	19.9	309	15	AA48735	G-protein coupled
16	420.5	19.9	309	17	AAW02707	G-protein coupled

RESULT 1

AAB12827

ID AAB12827 standard; Protein; 402 AA.

XX

AC AAB12827;

XX

DT 05-DEC-2000 (first entry)

XX

DE Human 17723 receptor protein SEQ ID NO:1.

XX

KW Human; 17723 receptor protein; chromosome 1q42-44; diagnosis; vaccine;

KW G-protein coupled receptor; gene therapy.

XX

OS Homo sapiens.

XX

PN WO200043513-A1.

XX

PD 27-JUL-2000.

XX

PF 21-JAN-2000; 2000WO-US01592.

XX

PR 21-JAN-1999; 99US-0234923.

XX

PA (MILL-) MILLENNIUM PHARM INC.

XX

PI Glucksmann MA;

XX

DR WPI; 2000-476196/41.

DR N-PSDB; AAA73212.

XX

PT A G-protein-coupled receptor designated 17723 and the nucleic acids

PT that encode it, useful for preventing, diagnosing and treating disorder

PT associated with inappropriate expression of 17723 receptors -

XX

PS Claim 1; Page 70-72; 79pp; English.

XX

CC The present sequence is the human 17723 receptor protein (I), which

CC belongs to the superfamily of G-protein-coupled receptors. (I) and the
 CC polynucleotide encoding it may be used in the prevention, treatment and
 CC diagnosis of diseases associated with inappropriate 17723 receptor
 CC expression. They may also be used to study the expression and function
 CC of 17723 receptor polypeptides and their role in metabolism. The 17723
 CC receptor polypeptides may be used as antigens in the production of
 CC antibodies against 17723 receptors and in assays to identify modulators
 CC (agonists and antagonists) of 17723 receptor expression and activity.
 CC The anti-17723 receptor antibodies and 17723 receptor antagonists may be
 CC used to down regulate 17723 receptor expression and activity. The
 CC anti-17723 receptor antibodies may also be used as diagnostic agents for
 CC detecting the presence of 17723 receptor polypeptides in samples
 CC (e.g. by enzyme linked immunosorbent assay (ELISA)). The 17723 receptor
 CC protein has been mapped to chromosome 1q42-44.
 XX
 SQ Sequence 402 AA;

Query Match 100.0%; Score 2117; DB 21; Length 402;
 Best Local Similarity 100.0%; Pred. No. 6.3e-222;
 Matches 402; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MYSGNRSGGHGYWDGGAAGAEGPAPAGTLPAPLFPSPGTYERLALLLSIGLLGVGNL 60
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 mysgnrsghgywdggaagaegpapagtlspaplfspgtyerlalllgsigllgvgnl 60
 Qy 61 LVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSCLRNGWVWDTVGCVDGFS 120
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 lvlvlyykfqrllrtpthlllvnislslldllvslfvgvtfvscrlngwvwdtvgcvwdgfs 120
 Qy 121 GSLFGIVSIATLTVLAYERIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWNRYI 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 gslfgivsiatltvlayerirvvharvinfswawraityiwlyslawagapllgwnryi 180
 Qy 181 LDVHGLGCTVDWKSNDANDSSFLVFLFLGCLVPLGVIAHCYGHILYSIRMLRCVEDLQT 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 ldvhglgctvdwksndandssflvflflgclvplgviahcyghilysirmlrcvedlqt 240
 Qy 241 IQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICFLVNVNGHGLVPTISIVSYLFAKS 300
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 241 iqvikilkyekklakmcfmiftflvcwmpyivicflvvnghghlvtptisivsylvaks 300
 Qy 301 NTVNPNVIYVFMIRKFRSLLQLLCLRLRLRCQRPADLPAAGSEMQRPIVMSQKDGDRP 360
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 301 ntvpnviyvmirkfrsllqllclrlrlrcqrpakdipaagsemqirpivmsqkdgdrp 360
 Qy 361 KKKVTFNSSSIIFIITSDESLSVDDSDKTNGSKVDVIQVRPL 402
 ||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 kkvtfnsssiifiitsdeslsvddsdktngskvdviqvrpl 402

RESULT 2
 AAY98008

ID AAY98008 standard; Protein; 402 AA.

XX

AC AAY98008;

XX

DT 31-AUG-2000 (first entry)

XX

DE Human G-protein coupled receptor, HG51.

XX

KW Human; G-protein coupled receptor; HG51; signal transduction;

KW rhodopsin receptor; obesity; type II diabetes;

KW inflammatory bowel disease; constipation; diarrhoea; gene therapy.

XX

OS Homo sapiens.

XX

PN W0200031108-A1.

XX

PD 02-JUN-2000.

XX

PF 18-NOV-1999; 99WO-US27305.

XX

PR 24-NOV-1998; 98US-0109717.

XX

PA (MERI) MERCK & CO INC.

XX

PI Liu Q, McDonald TP;

XX

DR WPI; 2000-400025/34.

DR N-PSDB; AAA38861.

XX

PT New DNA encoding human HG51 (a G-protein coupled receptor), useful in
PT chromosomal mapping studies for identifying the chromosomal locations
PT of the HG51 gene(s) -

XX

PS Claim 23; Fig 2; 68pp; English.

XX

CC G protein-coupled receptors (GPCR) are important in signal transduction
CC from the exterior to the interior of cells. Rhodopsin receptors are a
CC type of GPCR which comprise a chromophore-binding pocket which is
CC covalently linked by a protonated Schiff base to a Lys residue in
CC transmembrane domain 7. The present sequence is the human HG51 GPCR and
CC is a member of the rhodopsin receptor family of GPCRs. Due to the Lys
CC residue and Schiff base present in HG51, it is thought that the HG51
CC ligand may be a fatty-acid-like molecule. It is also believed that
CC agonists and antagonists of HG51 are useful for treating various
CC disorders such as obesity, type II diabetes, inflammatory bowel disease,
CC constipation or diarrhoea. In addition, the coding sequence for the
CC present sequence may be used in gene therapy for the above mentioned
CC disorders.

XX

SQ Sequence 402 AA;

Query Match 100.0%; Score 2117; DB 21; Length 402;
Best Local Similarity 100.0%; Pred. No. 6.3e-222;
Matches 402; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 MYSGNRSGGHGYWDGGGAAGAEGPAPAGTLPAPLFPSPGTYERLALLLGSIGLLGVGNL 60
|||
Db 1 msgnrsgghgywdgggaagaegpapagtlspaplfspgtyerlalllgsigllgvgnl 60

Qy 61 LVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSLRNGWVWDTVGCWWDGFS 120
|||
Db 61 lvlvlyykfqrlrtphlllvnislslldllvslfgvtftfvslrngwvwdtvgcwwdgfs 120

Qy 121 GSLFGIVSIATLTVLAYERIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWNRYI 180
|||
Db 121 gslfgivsiatltvlayeryirvvharvinfswawraityiwlyslawagapllgwnryi 180

Qy 181 LDVHGLGCTVDWKSKDANDSSFVLFGLGCLVVPVPLGVIAHCYGHILYSIRMLRCVEDLQT 240
|||
Db 181 ldvhglgctvdwkskdandssfvlflglgclvvplgviahcyghilysirmlrcvedlqt 240

Qy 241 IQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICFLVVNGHGHVLTPTISIVSYLFAKS 300
|||
Db 241 iqvikilkyekklakmcfmiftflvcwmpyivicflvvnghghlvtptisivsylvaks 300

Qy 301 NTVYNPVIYVFMIRKFRRSLQLLCLRLRCQRPADLPAAGSEMQRPIVMSQKDGDRP 360
|||
Db 301 ntvynpviyvmirkfrrsllqlclrlrcqrpakdlpaagsemqirpivmsqkdgdrp 360

Qy 361 KKKVTFNSSSIIFIITSDESLSVDDSDKTNGSKVDVIQVRPL 402
|||
Db 361 kkkvtfnsssiifiitsdeslsvddsdktngskvdviqvrpl 402

RESULT 3

AAE12070

ID AAE12070 standard; Protein; 402 AA.

XX

AC AAE12070;
 XX
 DT 18-DEC-2001 (first entry)
 XX
 DE Dendritic cell (DC) DCEPR protein.
 XX
 KW Dendritic cell; DC; DCEPR protein; gene therapy; dermatological; vaccine;
 KW atopic dermatitis; autoimmune disease; inflammatory skin disease; cancer;
 KW immunosuppressive; AIDS; Acquired immune deficiency syndrome; cytostatic;
 KW chromosomal identification; pharmaceutical; hypersensitivity; virucide;
 KW transplant rejection; chronic inflammatory disease; anti-HIV.
 XX
 OS Unidentified.
 XX
 PN WO200172773-A2.
 XX
 PD 04-OCT-2001.
 XX
 PF 28-MAR-2001; 2001WO-EP03542.
 XX
 PR 29-MAR-2000; 2000US-192934P.
 PR 18-MAY-2000; 2000US-205020P.
 PR 18-MAY-2000; 2000US-205026P.
 PR 19-MAY-2000; 2000US-205767P.
 PR 19-MAY-2000; 2000US-205769P.
 XX
 PA (NOVS) NOVARTIS AG.
 PA (NOVS) NOVARTIS-ERFINDUNGEN VERW GES MBH.
 XX
 PI Werner G, Phares W, Jaritz M, Lapp H, Kalthoff FS;
 XX
 DR WPI; 2001-616466/71.
 DR N-PSDB; AAD19720.
 XX
 PT New polypeptides for screening therapeutic agonists and antagonists
 PT comprise dendritic cell polypeptides -
 XX
 PS Claim 2; Page 42; 52pp; English.
 XX
 CC The invention relates to dendritic cell (DC) proteins and their
 CC corresponding DNA molecules. A pharmaceutical composition comprising
 CC agonist and antagonist of DC proteins are useful for treating abnormal
 CC conditions related to both an excess of and insufficient level of
 CC expression of DC gene, or related to both an excess of and insufficient
 CC activity of DC protein. Soluble form of DC proteins are used as an active
 CC ingredient in combination with pharmaceutical acceptable carriers.
 CC DC genes and proteins are useful for treating chronic inflammatory
 CC diseases, autoimmune diseases, transplant rejection crisis, including
 CC inflammatory skin diseases such as contact hypersensitivity, atopic
 CC dermatitis or virally-induced immune suppression such as AIDS and cancer.
 CC DC protein is useful for inducing immunological response in a mammal, and
 CC as immunogen to produce antibodies immunospecific for the polypeptide.
 CC DC gene is useful in gene therapy. DC gene is also useful as a diagnostic
 CC reagent, and for chromosomal identification. The present sequence is
 CC dendritic cell (DC) DCEPR protein which is found to belong to the family
 CC of G-protein coupled receptor protein.
 XX
 SQ Sequence 402 AA;

Query Match 99.4%; Score 2105; DB 22; Length 402;
 Best Local Similarity 99.5%; Pred. No. 1.3e-220;
 Matches 400; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 MYSGNRSGGHGYWDGGAAGAEGPAPAGTLPAPLFPSPGTYERLALLLGSIGLLGVGNL 60
 |||||||:|||||
 Db 1 mysgnrsgghgywdgggaagakgpapagtlspaplfspgtyerlalllgsigllgvgnl 60
 QY 61 LVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSCLRNGWVWDTVGCVWDGFS 120
 |||||||:|||||
 Db 61 lvlvlyykfqlrtpthlllvnislslldllvslfgvtftfvscrlngwvwdtvgcvwdgfs 120

Qy 121 GSLFGIVSIATLTVLAYERIYRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWNRYI 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 gslfgivsiatltvlayeryirvvharvinfswawraityiwlyslawagapllgwnryi 180
 Qy 181 LDVHGLGCTVDWKS KDANDSSFLFLGLCLVPLGVIAHCYGHILYSIRMLRCVEDLQT 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 ldvhglgctvdwkskdandssflflglclvplgviahcyghilysirmlrcvedlqt 240
 Qy 241 IQVIKILKYEKKLAKMCFLMIFTFLVCWMPYIVICFLVVNGHGHVLTPTISIVSYLFAKS 300
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 241 iqvikilkyekklakmcfmiftflvcwmpyivicflvvnghghlvtptisivsyfaks 300
 Qy 301 NTVYNPVIYVFMIRKFRSLLQLLCLRLRLRCQRPAPKDLPAAGSEMQRPIVMSQKDGDRP 360
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 301 ntvynpviyvfmirkfrsllqlclrlrlrcqrpakdlpaagsemqirpivmsqkdgrp 360
 Qy 361 KKKVTFNSSSIIFIITSDESLSVDDSDKTNGSKVDVIQVRPL 402
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 kkkvtfnsssiifigtsdeslsvddsdktngskvdviqvrpl 402

RESULT 4

AAB64743

ID AAB64743 standard; Protein; 199 AA.

XX

AC AAB64743;

XX

DT 23-MAR-2001 (first entry)

XX

DE Human secreted protein sequence encoded by gene 15 SEQ ID NO:137.

XX

KW Human; secreted protein; diagnosis; cytostatic; antirheumatic;
 KW antiarthritic; dermalogical; cardiant; antiinflammatory; anti-ulcer;
 KW gastrointestinal; solid tumour; rheumatoid arthritis; psoriasis;
 KW diabetic retinopathy; myocardial angiogenesis; Crohn's disease;
 KW ulcer.

XX

OS Homo sapiens.

XX

PN WO200077237-A1.

XX

PD 21-DEC-2000.

XX

PF 01-JUN-2000; 2000WO-US14928.

XX

PR 11-JUN-1999; 99US-0138633.

XX

PA (HUMA-) HUMAN GENOME SCI INC.

PA (ROSE/) ROSEN C A.

XX

PI Rosen CA, Ruben SM, Komatsoulis GA;

XX

DR WPI; 2001-071280/08.

XX

PT Nucleic acids encoding 49 human secreted polypeptides, useful for
 PT preventing, diagnosing and/or treating diseases such as tumors,
 PT rheumatoid arthritis, psoriasis and diabetic retinopathy -

XX

PS Disclosure; Page 503; 520pp; English.

XX

CC The polynucleotide sequences given in AAF33037 to AAF33085 encode the
 CC human secreted proteins given in AAB64666 to AAB64714. AAB64715 to
 CC AAB64771 represent human secreted polypeptide sequences and proteins
 CC homologous to them, which are given in the exemplification of the present
 CC invention. Human secreted proteins have activities based on the tissues
 CC and cells the genes are expressed in. Examples of activities include:
 CC cytostatic; antirheumatic; antiarthritic; dermalogical; cardiant;
 CC antiinflammatory; gastrointestinal; and anti-ulcer. The polynucleotides
 CC and polypeptides can be used in the prevention, treatment and diagnosis
 CC of diseases associated with inappropriate polypeptide expression.

CC Disorders that may be treated or prevented include solid tumours,
 CC rheumatoid arthritis, psoriasis, diabetic retinopathy, myocardial
 CC angiogenesis, Crohn's disease and ulcers. The polynucleotides and their
 CC complementary sequences may also be used as DNA probes in diagnostic
 CC assays (e.g. polymerase chain reactions (PCR)) to detect and quantitate
 CC the presence of similar nucleic acid sequences in samples, and therefore
 CC which patients may be in need of restorative therapy. The polypeptides
 CC may also be used as antigens in the production of antibodies against the
 CC polypeptide and in assays to identify modulators (agonists and
 CC antagonists) of polypeptide expression and activity. The anti-polypeptide
 CC antibodies and antagonists may also be used to down regulate expression
 CC and activity. AAF33028 to AAF33036 and AAB64665 represent sequences used
 CC in the exemplification of the present invention.

XX

SQ Sequence 199 AA;

Query Match 50.2%; Score 1063; DB 22; Length 199;
 Best Local Similarity 100.0%; Pred. No. 2e-107;
 Matches 199; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 118 GFSGSLFGIVSIATLTVLAYERIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWN 177
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 gfs gslfgivsiatltvlayerirvvharvinfswawraityiwlyslawagapllgwn 60
 Qy 178 RYILDVHGLGCTVDWKS KDANDSS FVLF LFLGCLV VPLGVIAHCYGHILYSIRMLRCVED 237
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 ryildvhglgctvdwkskdandssfvlf lflgclv vplgviahcyghilysirmlrcved 120
 Qy 238 LQTIQVIKILKYEKKLAKMCF LMIFTFLVCWMPYIVICFLV VNGHGLV TPTISIVSYLF 297
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 lqt iqv i k i l k y e k k l a k m c f l m i f t f l v c w m p y i v i c f l v v n g h g l v t p t i s i v s y l f 180
 Qy 298 AKSNTVYNPVIYVFMIRKF 316
 ||||||||||||||||
 Db 181 aksntvynpviyvmirkf 199

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	451	21.3	348	2	US-08-390-000A-8	Sequence 8, Appli
2	444	21.0	348	4	US-08-430-286A-11	Sequence 11, Appl
3	420.5	19.9	309	1	US-08-118-270-56	Sequence 56, Appl
4	420.5	19.9	309	5	PCT-US93-08528-56	Sequence 56, Appl
5	354.5	16.7	297	1	US-08-118-270-58	Sequence 58, Appl
6	354.5	16.7	297	5	PCT-US93-08528-58	Sequence 58, Appl
7	341.5	16.1	305	1	US-08-118-270-59	Sequence 59, Appl
8	341.5	16.1	305	5	PCT-US93-08528-59	Sequence 59, Appl
9	338.5	16.0	297	1	US-08-118-270-57	Sequence 57, Appl
10	338.5	16.0	297	5	PCT-US93-08528-57	Sequence 57, Appl
11	309	14.6	391	1	US-07-816-283-2	Sequence 2, Appli
12	309	14.6	391	1	US-08-417-103-2	Sequence 2, Appli
13	309	14.6	391	1	US-08-417-103-14	Sequence 14, Appl
14	304	14.4	391	1	US-07-816-283-4	Sequence 4, Appli
15	304	14.4	391	1	US-08-417-103-4	Sequence 4, Appli

Result No.	Score	Query Match	Length	DB	ID	Description
1	477.5	22.6	349	1	JC5490	opsin, pineal glan
2	475	22.4	351	1	A55962	opsin, pineal glan
3	464	21.9	352	2	I50081	rhodopsin - green
4	458	21.6	348	1	O0B0	rhodopsin - bovine
5	456.5	21.6	348	1	JC4267	opsin - rabbit
6	455	21.5	348	1	S23398	rhodopsin - Chines
7	452.5	21.4	351	2	S29152	rhodopsin - chicke

8	451	21.3	348	1	OOHU	rhodopsin - human
9	451	21.3	354	1	S27231	rhodopsin - northe
10	450	21.3	348	1	A23665	opsin - mouse
11	448	21.2	354	1	I51200	rhodopsin - Africa

Result No.	Score	Query Match	Length	DB	ID	Description
1	2117	100.0	402	1	OPN3_HUMAN	Q9hly3 homo sapien
2	1862	88.0	400	1	OPN3_MOUSE	Q9wuk7 mus musculu
3	477.5	22.6	349	1	OPSP_COLLI	P51476 columba liv
4	475	22.4	351	1	OPSP_CHICK	P51475 gallus gall
5	468	22.1	352	1	OPSD_ALLMI	P52202 alligator m
6	466.5	22.0	444	1	OPSP_PETMA	O42490 petromyzon
7	464	21.9	352	1	OPSD_ANOCA	P41591 anolis caro
8	458	21.6	348	1	OPSD_BOVIN	P02699 bos taurus
9	456.5	21.6	348	1	OPSD_RABIT	P49912 oryctolagus
10	455	21.5	348	1	OPSD_CRIGR	P28681 cricetulus
11	455	21.5	348	1	OPSD_MACFA	Q28886 macaca fasc
12	455	21.5	354	1	OPSD_RANCA	P51470 rana catesb

RESULT 1

OPN3_HUMAN

ID OPN3_HUMAN STANDARD; PRT; 402 AA.

AC Q9H1Y3; Q9Y344;

DT 16-OCT-2001 (Rel. 40, Created)

DT 16-OCT-2001 (Rel. 40, Last sequence update)

DT 01-MAR-2002 (Rel. 41, Last annotation update)

DE Opsin 3 (Encephalopsin) (Panopsin).

GN OPN3 OR ECPN.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=99252448; PubMed=10234000;

RA Blackshaw S., Snyder S.H.;

RT "Encephalopsin: a novel mammalian extraretinal opsin discretely

RT localized in the brain.";

RL J. Neurosci. 19:3681-3690(1999).

RN [2]

RP SEQUENCE FROM N.A.

RX MEDLINE=21295039; PubMed=11401433;

RA Halford S., Freedman M.S., Bellingham J., Inglis S.L.,

RA Poopalasundaram S., Soni B.G., Foster R.G., Hunt D.M.;

RT "Characterization of a novel human opsin gene with wide tissue

RT expression and identification of embedded and flanking genes on

RT chromosome 1q43.";

RL Genomics 72:203-208(2001).

RN [3]

RP SEQUENCE FROM N.A.

RA Parker A.;

RL Submitted (JAN-2001) to the EMBL/GenBank/DDBJ databases.

CC -!- FUNCTION: May play a role in encephalic photoreception.

CC -!- SUBCELLULAR LOCATION: Integral membrane protein.

CC -!- TISSUE SPECIFICITY: Strongly expressed in brain. Highly expressed

CC in the preoptic area and paraventricular nucleus of the

CC hypothalamus. Shows highly patterned expression in other regions

CC of the brain, being enriched in selected regions of the cerebral

CC cortex, cerebellar Purkinje cells, a subset of striatal neurons,

CC selected thalamic nuclei, and a subset of interneurons in the

CC ventral horn of the spinal cord.

CC -!- SIMILARITY: BELONGS TO FAMILY 1 OF G-PROTEIN COUPLED RECEPTORS.

CC OPSIN SUBFAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

Db 361 KKKVTFNSSSIIFIITSDESLSVDDSDKTNGSKVDVIQVRPL 402

Result	% Query					Description
	No.	Score	Match	Length	ID	
1	500.5	23.6	352	13	Q9W6K3	Q9w6k3 anolis caro
2	491.5	23.2	534	13	O57422	O57422 xenopus lae
3	484.5	22.9	346	13	Q9PUA9	Q9pua9 bufo japoni
4	480	22.7	357	13	Q9IBH2	Q9ibh2 phelsuma ma
5	473.5	22.4	377	13	Q9IB88	Q9ib88 brachydanio
6	473	22.3	543	13	Q90YK6	Q90yk6 gallus gall
7	458	21.6	348	6	Q95KU1	Q95kul felis silve
8	457.5	21.6	351	13	Q9IA36	Q9ia36 poephila gu
9	455.5	21.5	351	13	Q9W6S0	Q9w6s0 columba liv
10	455	21.5	363	13	Q98TH3	Q98th3 cynops pyrr
11	453.5	21.4	322	13	O57448	O57448 anas platyr

SEQ ID NO: 1

SUMMARIES

SUMMARIES							
Result	% Query		Length	DB	ID	Description	
No.	Score	Match					
	1	1470.4	95.7	2533	9	AF303588	AF303588 Homo sapi
	2	1380.8	89.8	2110	9	AF140242	AF140242 Homo sapi
	3	943.6	61.4	1737	10	AF140241	AF140241 Mus muscu
c	4	515.4	33.5	71872	9	AL133390	AL133390 Human DNA
c	5	424	27.6	5024	6	AX281720	AX281720 Sequence
c	6	422.4	27.5	5000	6	A68713	A68713 Sequence 5
c	7	422.4	27.5	5000	6	AR106624	AR106624 Sequence
c	8	422.4	27.5	5000	9	AF056032	AF056032 Homo sapi
	9	400.4	26.1	449	6	AX013137	AX013137 Sequence
	10	358	23.3	512	6	AX062411	AX062411 Sequence
c	11	317.2	20.6	8303	6	AX345325	AX345325 Sequence
	12	299.4	19.5	8303	6	AX345324	AX345324 Sequence

RESULT 1

AF303588

LOCUS AF303588 2533 bp mRNA linear PRI 17-APR-2001

DEFINITION Homo sapiens panopsin (OPN3) mRNA, complete cds.

ACCESSION AF303588

VERSION AF303588.1 GI:13649589

KEYWORDS

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 2533)

AUTHORS Halford, S., Freedman, M.S., Bellingham, J., Inglis, S.L., Poopalasundaram, S., Soni, B.G., Foster, R.G. and Hunt, D.M.

TITLE Characterization of a novel human opsin gene with wide tissue expression and identification of embedded and flanking genes on chromosome 1q43

JOURNAL Genomics 72 (2), 203-208 (2001)

MEDLINE 21295039

REFERENCE 2 (bases 1 to 2533)

AUTHORS Halford, S., Bellingham, J., Freedman, M.S., Inglis, S.L., Poopalasundaram, S., Foster, R. and Hunt, D.M.

TITLE Direct Submission

JOURNAL Submitted (05-SEP-2000) Molecular Genetics, Institute of Ophthalmology, 11-43 Bath Street, London EC1V 9EL, UK

FEATURES

source

Location/Qualifiers

1..2533

/organism="Homo sapiens"

/db_xref="taxon:9606"

/chromosome="1"

/map="1q43"

gene

1..2533

/gene="OPN3"

CDS

103..1311

/gene="OPN3"

/note="multiple tissue opsin"

/codon_start=1

/product="panopsin"

/protein_id="AAK37447.1"

/db_xref="GI:13649590"

/translation="MYSGNRSGGHGYWDGGGAAGAEGPAPAGTLPAPLFPSPGTYERL
 ALLGSLGVLGVGNLLVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSC
 LRNGWVWDTVGCWVDFGSGSLFGIVSIATLTVLAYERIYRVVHARVINFSWAWRAITY
 IWLYSLAWAGAPLLGWNRYILDVHGLGCTVDWKSNDANDSSFVLFLLGCLVPLGVI
 AHCYGHILYSIRMLRCVEDLQTIQVIKILKYKKLAKMCFMIFTFLVCWMPYIVICF
 LVVNGHGLVPTISIVSYLFAKSNVTVPVIVFMIRKFRRLQLLCLRLRCQRP
 AKDLPAAGSEMQRPIVMSQKGDGRPKKVTFNSSIIIFIITSDELSVDDSDKTNGS
 KVDVIQVRPL"

BASE COUNT 640 a 592 c 567 g 734 t
ORIGIN

Query Match 95.7%; Score 1470.4; DB 9; Length 2533;
Best Local Similarity 99.6%; Pred. No. 7.8e-229;
Matches 1474; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

```
Qy   58 cagagcaggcgggcgagccccagccccacccagtgcgagcgcgccgagccccgccc 117
      |||
Db    1 CGGACGCGTGGGCGGAGCCCCAGCCCCACCCAGTGCAGGAGCGCGCCGAGCCCCGCCGC 60

Qy  118 aagctgagcgccctccgcccgcaggcgcgccggcgccggccatgtactcggggaaccgc 177
      |||
Db   61 AAGCTGAGCGCCTCCGCCGCCAGGCGCGCCGGCGCCGGGCCATGTACTCGGGGAACCGC 120

Qy  178 agcgcgggccacggctactgggacggcgggcgccgcgggcgctgaggggcccggcgccg 237
      |||
Db  121 AGCGGCGGCCACGGCTACTGGGACGGCGGGGCCGGCGGGCGCTGAGGGGCCGGCGCCG 180

Qy  238 gcggggacactgagccccgcgcccctcttcagccccggcacctacgagcgccctggcgctg 297
      |||
Db  181 GCGGGGACACTGAGCCCCGCGCCCTCTTCAGCCCCGGCACCTACGAGCGCCTGGCGCTG 240

Qy  298 ctgctggggtccattgggctgctggcgctcggaacaacctgctggtgctcgtcctctac 357
      |||
Db  241 CTGCTGGGCTCCATTGGGCTGCTGGGCGTCGGCAACAACCTGCTGGTGCTCGTCTCTAC 300

Qy  358 tacaagttccagcggtccgcactccactcacctcctcctgggtcaacatcagcctcagc 417
      |||
Db  301 TACAAGTTCCAGCGGCTCCGCACTCCCACTCACCTCCTCCTGGTCAACATCAGCCTCAGC 360

Qy  418 gacctgctgggtgtccctcttcgggggtcacctttaccttcgtgctcctgaggaacggc 477
      |||
Db  361 GACCTGCTGGTGCTCCCTCTTCGGGGTCACCTTTACCTTCGTGCTCCTGAGGAACGGC 420

Qy  478 tgggtgtgggacacggtgggctgcgtgtgggacgggttagcggcagcctcttcgggatt 537
      |||
Db  421 TGGGTGTGGGACACCGTGGGCTGCGTGTGGGACGGGTTAGCGGCAGCCTCTTCGGGATT 480

Qy  538 gtttccattgccaccctaaccgtgctggcctatgaacgttacattcgcggtggtccatgcc 597
      |||
Db  481 GTTTCATTGCCACCCTAACCGTGCTGGCCTATGAACGTTACATTCGCGTGGTCCATGCC 540

Qy  598 agagtgatcaatttttctgggctggaggccattacctacatctggctctactcactg 657
      |||
Db  541 AGAGTGATCAATTTTCTGGGCTGGAGGGCCATTACCTACATCTGGCTCTACTCACTG 600

Qy  658 gcgtgggaggagcacctctcctgggatggaacaggtacatcctggacgtacacggacta 717
      |||
Db  601 GCGTGGGAGGAGCACCTCTCCTGGGATGGAACAGGTACATCCTGGACGTACACGGACTA 660

Qy  718 ggctgcactgtggactggaaatccaaggatgccaacgattcctcctttgtgcttttctta 777
      |||
Db  661 GGCTGCACTGTGGACTGGAATCCAAGGATGCCAAGATTCTCTCTTTGTGCTTTTCTTA 720

Qy  778 tttcttggtgcctggtggtgcccctgggtgtcatagccattgctatggccatattcta 837
      |||
Db  721 TTTCTTGGCTGCCTGGTGGTGCCCTGGGTGTCATAGCCATTGCTATGGCCATATTCTA 780

Qy  838 tattccattcgaatgcttctgtgtggaagatcttcagacaattcaagtgatcaagatt 897
      |||
Db  781 TATTCCATTGCAATGCTTCGTTGTGTGGAAGATCTTCAGACAATTCAAGTGATCAAGATT 840

Qy  898 ttaaaatatgaaaagaaactggccaaaatgtgctttttaatgatattcaccttccctggtc 957
      |||
Db  841 TTAATAATATGAAAAGAACTGGCCAAAATGTGCTTTTAAATGATATTACCTTCTGGTC 900

Qy  958 tgttgatgccttatatcgatgctgcttcttggtggttaatggatggtcacctggtc 1017
      |||
Db  901 TGTGGATGCCTTATATCGTGATCTGCTTCTTGGTGGTTAATGGTCATGGTCACCTGGTC 960
```

Qy 1018 actccaacaatatctattgtttcgtacctctttgctaaatcgaacactgtataacaatcca 1077
 |||
 Db 961 ACTCCAACAATATCTATTGTTTCGTACCTCTTTGCTAAATCGAACACTGTATACAATCCA 1020
 Qy 1078 gtgatttatgtcttcgatcagaaaagtttcgaagatcccttttgcagcttctgtgcctc 1137
 |||
 Db 1021 GTGATTTATGTCTTCATGATCAGAAAAGTTTCGAAGATCCCTTTTGCAGCTTCTGTGCCTC 1080
 Qy 1138 cgactgctgaggtgccagaggcctgctaagacctaccagcagctggaagtgaatgcag 1197
 |||
 Db 1081 CGACTGCTGAGGTGCCAGAGGCTGCTAAAGACCTACCAGCAGCTGGAAGTGAAATGCAG 1140
 Qy 1198 atcagaccatttgtgatgtcacagaaagatggggacaggccaaagaaaaaagtgactttc 1257
 |||
 Db 1141 ATCAGACCCATTGTGATGTACAGAAAGATGGGGACAGGCCAAAGAAAAAAGTGACTTTC 1200
 Qy 1258 aactcttcttccatcatTTTTATCATCACCAGTGATGAATCACTGTCTAGTTGACGACAGC 1317
 |||
 Db 1201 AACTCTTCTTCCATCATTTTTATCATCACCAGTGATGAATCACTGTCTAGTTGACGACAGC 1260
 Qy 1318 gacaaaaccaatgggtccaaagtgtgatgtaatccaagttcgtcctttgtaggaatgaaga 1377
 |||
 Db 1261 GACAAAACCAATGGGTCCAAAGTTGATGTAATCCAAGTTCGTCCTTTGTAGGAATGAAGA 1320
 Qy 1378 atggcaacgaagatggggccttaaaattggatgccacttttggactttcatcataagaag 1437
 |||
 Db 1321 ATGGCAACGAAAGATGGGGCCTTAAATTGGATGCCACTTTTGGACTTTCATCATAAGAAG 1380
 Qy 1438 tgtctggaatacccggttctatgtaatatcaacagaacctgtgtggtccagcaggaaatccg 1497
 |||
 Db 1381 TGTCTGGAATACCCGTTCTATGTAATATCAACAGAACCTTGTGGTCCAGCAGGAAATCCG 1440
 Qy 1498 aattgcccataatgctcttgggcctcaggaagaggttgaac 1537
 |||
 Db 1441 AATTGCCCATATGCTCTTGGGCCTCAGGAAGAGGTTGAAC 1480

RESULT 2
 AF140242
 LOCUS AF140242 2110 bp mRNA linear PRI 27-MAY-1999
 DEFINITION Homo sapiens encephalopsin mRNA, complete cds.
 ACCESSION AF140242
 VERSION AF140242.1 GI:4894951
 KEYWORDS .
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 2110)
 AUTHORS Blackshaw, S. and Snyder, S.H.
 TITLE Encephalopsin: A novel mammalian extraretinal opsin discretely
 localized in the brain
 JOURNAL J. Neurosci. 19 (10), 3681-3690 (1999)
 MEDLINE 99252448
 PUBMED 10234000
 REFERENCE 2 (bases 1 to 2110)
 AUTHORS Blackshaw, S. and Snyder, S.H.
 TITLE Direct Submission
 JOURNAL Submitted (02-APR-1999) Genetics, Harvard Medical School, 200
 Longwood Ave., Boston, MA 02115, USA
 FEATURES
 source Location/Qualifiers
 1..2110
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 CDS 56..1267
 /note="extraretinal opsin"
 /codon_start=1
 /product="encephalopsin"
 /protein_id="AAD32671.1"
 /db_xref="GI:4894952"

/translation="MSGNRSGGHGYWDGGGAAGAEGPAPAGTLPAPLFPSPGTYERL
ALLGSGIGLLGVGNLLVLVLYYKFQRLRTPHLLLVNLSLSDLLVSLFGVTFTFVSC
LRNGWVWDTVGCWDFSGSLFGIVSIATLTLVLAERYIRVVHARVINFSWAWRAITY
IWLYSLAWAGAPLLGWNRYILDVHGLGCTVDWKSKDANDSSFVLFLLGLVPLGVI
AHCYGHILYSIRMLRCVEDLQTIQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICF
LVVNGHGLVPTPTISIVSYLFAKSNVTYVNPVIYVFMIRKFRRSLQLLCLRLRLRCQR
AKDLPAAGSEMQIRPIVMSQKDGDRPKKVTFNSSSIIFIITSDESLSVDDSDKTIGV
QSLMLIQVRPL"

BASE COUNT 522 a 516 c 480 g 592 t
ORIGIN

Query Match 89.8%; Score 1380.8; DB 9; Length 2110;
Best Local Similarity 98.3%; Pred. No. 2.6e-214;
Matches 1421; Conservative 0; Mismatches 12; Indels 13; Gaps 2;

Qy	105	cgagccccgcgcgaagctgagcgcctccgcccagcgcgccggcgccgggcatgta	164
Db	1	CGAGCCCCGCGCAAGCTGAGCGCCTCCGCCCAGGCGCGCGCGCGCGGCCATGTA	60
Qy	165	ctcggggaaccgcagcggcgccacggctactgggacggcgccggcgccggcgccgctga	224
Db	61	CTCGGGGAACCGCAGCGCGGCCACGGCTACTGGGACGGCGGGCGCGGGCGCGCTGA	120
Qy	225	ggggccggcgccggcgccgggacactgagccccgcgcctcttcagccccggcacctacga	284
Db	121	GGGGCCGGCGCCGGCGGGGACACTGAGCCCCGCGCCCTCTTCAGCCCCGGCACCTACGA	180
Qy	285	gcgccctggcgctgctgctgggctccattgggctgctggcgctcggaacaacctgctggt	344
Db	181	GCGCCTGGCGCTGCTGCTGGGCTCCATTGGGCTGCTGGGCGTCGGCAACAACCTGCTGCT	240
Qy	345	gctcgtcctctactacaagttccagcggtccgcactccactcacctcctcctggtcaa	404
Db	241	GCTCGTCTCTACTACAAGTTCCAGCGGCTCCGCACTCCCACTCACCTCCTCTGGTCAA	300
Qy	405	catcagcctcagcgacctgctggtgtccctcttcgggggtcacctttaccttcgtgtcctg	464
Db	301	CATCAGCCTCAGCGACCTGCTGGTGTCCCTCTTCGGGGTACCTTTACCTTCGTGTCTTG	360
Qy	465	cctgaggaacggctgggtgtgggacacgctgggctgctgtgggacgggttagcggcag	524
Db	361	CCTGAGGAACGGCTGGGTGTGGGACACGCTGGGCTGCGTGTGGGACGGGTTAGCGGCAG	420
Qy	525	cctcttcgggattgtttccattgccaccctaaccgtgctggcctatgaacgttacattcg	584
Db	421	CCTCTTCGGGATTGTTTCCATTGCCACCCTAACCGTGTGGCCTATGAACGTTACATTG	480
Qy	585	cgtggtccatgccagagtgatcaatttttccgggctggaggccattacctacatctg	644
Db	481	CGTGGTCCATGCCAGAGTGATCAATTTTCTGGGCTGGAGGGCATTACCTACATCTG	540
Qy	645	gctctactcactggcggtgggacaggacacctctcctgggatggaacaggtacatcctgga	704
Db	541	GCTCTACTACTGGCGTGGGACAGGACACCTCTCTGGGATGGAACAGGTACATCCTGGA	600
Qy	705	cgtacacggactaggctgcactgtggactggaaatccaaggatgccaacgattcctcctt	764
Db	601	CGTACACGGACTAGGCTGCACTGTGGACTGGAAATCCAAGGATGCCAACGATTCTCTCT	660
Qy	765	tgtgcttttcttatttcttggtgctggtggtgcccctgggtgtcatagccattgcta	824
Db	661	TGTGCTTTTCTTATTCTTGCTGCCTGGTGGTGGCCCTGGGTGTCATAGCCCATGCTA	720
Qy	825	tggccatattctatatattccattcgaatgcttcgttgtgtggaagatcttcagacaattca	884
Db	721	TGGCCATATTCTATATTCATTGCAATGCTTCGTTGTGTGGAAGATCTTCAGACAATTCA	780
Qy	885	agtgatcaagatttttaaaatatgaaaagaaactggccaaaatgtgctttttaatgatatt	944
Db	781	AGTGATCAAGATTTTAAATATGAAAAGAACTGGCCAAAATGTGCTTTTAAATGATATT	840

Qy 945 caccttcctgggtctgttgatgccttatatcgtgatctgcttcttgggtggttaatggtca 1004
 |||
 Db 841 CACCTTCCTGGTCTGTTGGATGCCTTATATCGTGATCTGCTTCTTGGTGGTTAATGGTCA 900
 Qy 1005 tggtcacctgggtcactccaacaatatctattgtttcgtacctcttggctaaatcgaacac 1064
 |||
 Db 901 TGGTCACCTGGTCACTCCAACAATATCTATTGTTTCGTACCTCTTGCTAAATCGAACAC 960
 Qy 1065 tgtatacaatccagtgatttatgtcttcacatgatcagaaagtttcgaagatcccttttgca 1124
 |||
 Db 961 TGTATACAATCCAGTGATTTATGTCTTCATGATCAGAAAGTTTCGAAGATCCCTTTTGCA 1020
 Qy 1125 gcttctgtgctcctcgactgctgaggtgccagaggcctgctaaagacctaccagcagctgg 1184
 |||
 Db 1021 GCTTCTGTGCCTCCGACTGCTGAGGTGCCAGAGGCTGCTAAAGACCTACCAGCAGCTGG 1080
 Qy 1185 aagtgaatgcagatcagaccattgtgatgtcacagaaagatggggacaggccaaagaa 1244
 |||
 Db 1081 AAGTGAATGCAGATCAGACCATTTGTGATGTCACAGAAAGATGGGGACAGGCCAAAGAA 1140
 Qy 1245 aaaagtgaactttcaactcttcttccatcatttttatcatcaccagtgatgaatcactgtc 1304
 |||
 Db 1141 AAAAGTGACTTTCAACTCTTCTCCATCATTTTTATCATCACCAGTGATGAATCACTGTC 1200
 Qy 1305 agttgacgacagcgacaaaaccaatgggtccaaa---gttgatgtaatccaagttcgtcc 1361
 |||
 Db 1201 AGTTGACGACAGCGACAAAACCATTGGGGTCCAAAGTTGATGTTAATCCAAGTTCGTCC 1260
 Qy 1362 tttgtaggaatgaagaatggcaacgaaagatggggccttaaattggatgccacttttgga 1421
 |||
 Db 1261 TTTGTAGGAATGAAGGATGGCAACGAAAGGTGGGGCCTTAAATTGGATGCCACTTTTGGA 1320
 Qy 1422 ctttcatcat-----aagaagtgtctggaatacccgcttctatgtaatatcaacag 1471
 |||
 Db 1321 CTTTCATCATCCTCCTGAAGAAGAAGTGCTGGAATACCCGTTCTATGTAATATCAACAG 1380
 Qy 1472 aaccttgtggtccagcaggaaatccgaattgcccatatgctcttgggcctcaggaagagg 1531
 |||
 Db 1381 AACCTTGTGGTCCAGCAGGAAATCCGAATTGCCCATATGCTCTTGGGCCTCAGGAAGAGG 1440
 Qy 1532 ttgaac 1537
 |||
 Db 1441 TTGAAC 1446

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	1537	100.0	1537	21	AAA38861	Human G-protein co
2	1459	94.9	2144	21	AAA73212	Human 17723 recept
3	1373.2	89.3	2037	22	AAD19720	Dendritic cell (DC
4	1028	66.9	1697	22	AAF33051	Human secreted pro
5	687.8	44.7	1267	21	AZ34604	Human receptor mol
6	644.4	41.9	1763	21	AAC69518	Human secreted pro
7	437	28.4	619	22	AAD19721	Dendritic cell (DC
c 8	435	28.3	12291	22	AAK79265	Human immune/haema
c 9	424	27.6	5024	24	AAS94874	Human DNA sequence
c 10	422.4	27.5	5000	19	AAV20609	Human kynurenine-3
11	400.4	26.1	449	20	AZ42057	Human endometrium

AAA38861

ID AAA38861 standard; cDNA; 1537 BP.

XX

AC AAA38861;

XX

DT 31-AUG-2000 (first entry)
 XX
 DE Human G-protein coupled receptor, HG51, coding sequence.
 XX
 KW Human; G-protein coupled receptor; HG51; signal transduction;
 KW rhodopsin receptor; obesity; type II diabetes;
 KW inflammatory bowel disease; constipation; diarrhoea; gene therapy; ss.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT CDS 160..1368
 FT /*tag= a
 FT /product= "Human HG51"
 XX
 PN WO200031108-A1.
 XX
 PD 02-JUN-2000.
 XX
 PF 18-NOV-1999; 99WO-US27305.
 XX
 PR 24-NOV-1998; 98US-0109717.
 XX
 PA (MERI) MERCK & CO INC.
 XX
 PI Liu Q, McDonald TP;
 XX
 DR WPI; 2000-400025/34.
 DR P-PSDB; AAY98008.
 XX
 PT New DNA encoding human HG51 (a G-protein coupled receptor), useful in
 PT chromosomal mapping studies for identifying the chromosomal locations
 PT of the HG51 gene(s) -
 XX
 PS Claim 1; Fig 1; 68pp; English.
 XX
 CC G protein-coupled receptors (GPCR) are important in signal transduction
 CC from the exterior to the interior of cells. Rhodopsin receptors are a
 CC type of GPCR which comprise a chromophore-binding pocket which is
 CC covalently linked by a protonated Schiff base to a Lys residue in
 CC transmembrane domain 7. The present sequence is the coding sequence of
 CC the human HG51 GPCR and is a member of the rhodopsin receptor family of
 CC GPCRs. Due to the Lys residue and Schiff base present in HG51, it is
 CC thought that the HG51 ligand may be a fatty-acid-like molecule. It is
 CC also believed that agonists and antagonists of HG51 are useful for
 CC treating various disorders such as obesity, type II diabetes,
 CC inflammatory bowel disease, constipation or diarrhoea. In addition, the
 CC present sequence may be used in gene therapy for the above mentioned
 CC disorders.
 XX
 SQ Sequence 1537 BP; 320 A; 426 C; 421 G; 370 T; 0 other;

Query Match 100.0%; Score 1537; DB 21; Length 1537;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1537; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

QY      1 ggggccacgggggtgcgcggcgcgcggtagcggggccctcagtgacaaatggccag 60
      |||
Db      1 ggggccacgggggtgcgcggcgcgcggtagcggggccctcagtgacaaatggccag 60

QY     61 agcaggcgggcgagccccagccccaccagtgcgagcgcgcgagccccgccgaag 120
      |||
Db     61 agcaggcgggcgagccccagccccaccagtgcgagcgcgcgagccccgccgaag 120

QY    121 ctgagcgctccgcccgccaggcgcgcgcgccgggcatgtactcggggaaccgcagc 180
      |||
Db    121 ctgagcgctccgcccgccaggcgcgcgcgccgggcatgtactcggggaaccgcagc 180

QY    181 ggcggccacggctactgggacggcgggcgggcgggcgctgagggcgcgcgcgcg 240
      |||

```


Db 181 ggccggccacggctactgggacggcgcgggcgccgctgaggggcccggcgccggcg 240
 QY 241 gggacactgagccccgcgccctcttcagccccggcacctacgagcgctggcgctgctg 300
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 241 gggacactgagccccgcgccctcttcagccccggcacctacgagcgctggcgctgctg 300
 QY 301 ctgggctccattgggctgctgggctcggaacaacctgctggtgctcgtcctctactac 360
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 301 ctgggctccattgggctgctgggctcggaacaacctgctggtgctcgtcctctactac 360
 QY 361 aagttccagcggtccgcactccactcacctcctcctggtcaacatcagcctcagcgac 420
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 aagttccagcggtccgcactccactcacctcctcctggtcaacatcagcctcagcgac 420
 QY 421 ctgctggtgtccctcttcggggtcacctttaccttcgtgctcctgcctgaggaacggctgg 480
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 421 ctgctggtgtccctcttcggggtcacctttaccttcgtgctcctgcctgaggaacggctgg 480
 QY 481 gtgtgggacacgctgggctgctgtgggacgggttagcggcagcctcttcgggattgtt 540
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 481 gtgtgggacacgctgggctgctgtgggacgggttagcggcagcctcttcgggattgtt 540
 QY 541 tccattgccaccctaaccgtgctggcctatgaacgttacattcgctggtccatgccaga 600
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 541 tccattgccaccctaaccgtgctggcctatgaacgttacattcgctggtccatgccaga 600
 QY 601 gtgatcaatttttctgggctggaggccattacctacatctggctctactcactggcg 660
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 601 gtgatcaatttttctgggctggaggccattacctacatctggctctactcactggcg 660
 QY 661 tgggcaggagcacctctcctgggatggaacaggtacatcctggacgtacacggactaggc 720
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 661 tgggcaggagcacctctcctgggatggaacaggtacatcctggacgtacacggactaggc 720
 QY 721 tgcactgtggactggaatccaaggatgccaacgattcctcctttgtgcttttcttattt 780
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 721 tgcactgtggactggaatccaaggatgccaacgattcctcctttgtgcttttcttattt 780
 QY 781 cttggctgcctggtggtgcccctgggtgctcatagccattgctatggccatattctatat 840
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 781 cttggctgcctggtggtgcccctgggtgctcatagccattgctatggccatattctatat 840
 QY 841 tccattcgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagatttta 900
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 841 tccattcgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagatttta 900
 QY 901 aaatatgaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggtctgt 960
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 901 aaatatgaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggtctgt 960
 QY 961 tggatgccttatatcgtgatctgcttcttggtggttaatggtcatggtcacctggtcact 1020
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 961 tggatgccttatatcgtgatctgcttcttggtggttaatggtcatggtcacctggtcact 1020
 QY 1021 ccaacaatatctattgtttcgtacctctttgctaaatcgaaactgtatacaatccagt 1080
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1021 ccaacaatatctattgtttcgtacctctttgctaaatcgaaactgtatacaatccagt 1080
 QY 1081 atttatgtcttcctcatgatcagaaagtttcgaagatcccttttgagcttctgtgcctccga 1140
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1081 atttatgtcttcctcatgatcagaaagtttcgaagatcccttttgagcttctgtgcctccga 1140
 QY 1141 ctgctgaggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatc 1200
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1141 ctgctgaggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatc 1200
 QY 1201 agaccattgtgatgtcacagaaagatggggacaggccaaagaaaaaagtgactttcaac 1260
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1201 agaccattgtgatgtcacagaaagatggggacaggccaaagaaaaaagtgactttcaac 1260
 QY 1261 tottcttccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagcgac 1320

```

      |||
Db 1261 tcttcttccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacgacgac 1320
QY 1321 aaaaccaatgggtccaaagtgtgatgtaatccaagttcgtcctttgtaggaatgaagaatg 1380
      |||
Db 1321 aaaaccaatgggtccaaagtgtgatgtaatccaagttcgtcctttgtaggaatgaagaatg 1380
QY 1381 gcaacgaagatggggccttaaatggatgccacttttggaactttcatcataagaagtgt 1440
      |||
Db 1381 gcaacgaagatggggccttaaatggatgccacttttggaactttcatcataagaagtgt 1440
QY 1441 ctggaatacccggttctatgtaatatcaacagAACcttgtggtccagcaggaaatccgaat 1500
      |||
Db 1441 ctggaatacccggttctatgtaatatcaacagAACcttgtggtccagcaggaaatccgaat 1500
QY 1501 tgcccatatgctcttgggcctcaggaagaggttgaac 1537
      |||
Db 1501 tgcccatatgctcttgggcctcaggaagaggttgaac 1537

```

RESULT 2

AAA73212

ID AAA73212 standard; cDNA; 2144 BP.

XX

AC AAA73212;

XX

DT 05-DEC-2000 (first entry)

XX

DE Human 17723 receptor protein encoding cDNA SEQ ID NO:2.

XX

KW Human; 17723 receptor protein; chromosome 1q42-44; diagnosis; vaccine;
KW G-protein coupled receptor; gene therapy; ss.

XX

OS Homo sapiens.

XX

PN WO200043513-A1.

XX

PD 27-JUL-2000.

XX

PF 21-JAN-2000; 2000WO-US01592.

XX

PR 21-JAN-1999; 99US-0234923.

XX

PA (MILL-) MILLENNIUM PHARM INC.

XX

PI Glucksmann MA;

XX

DR WPI; 2000-476196/41.

DR P-PSDB; AAB12827.

XX

PT A G-protein-coupled receptor designated 17723 and the nucleic acids
PT that encode it, useful for preventing, diagnosing and treating disorder
PT associated with inappropriate expression of 17723 receptors -

XX

PS Claim 3; Page 72-73; 79pp; English.

XX

CC The present sequence encodes the human 17723 receptor protein (I), which
CC belongs to the superfamily of G-protein-coupled receptors. (I) and the
CC polynucleotide encoding it may be used in the prevention, treatment and
CC diagnosis of diseases associated with inappropriate 17723 receptor
CC expression. They may also be used to study the expression and function
CC of 17723 receptor polypeptides and their role in metabolism. The 17723
CC receptor polypeptides may be used as antigens in the production of
CC antibodies against 17723 receptors and in assays to identify modulators
CC (agonists and antagonists) of 17723 receptor expression and activity.
CC The anti-17723 receptor antibodies and 17723 receptor antagonists may be
CC used to down regulate 17723 receptor expression and activity. The
CC anti-17723 receptor antibodies may also be used as diagnostic agents for
CC detecting the presence of 17723 receptor polypeptides in samples
CC (e.g. by enzyme linked immunosorbent assay (ELISA)). The 17723 receptor
CC protein has been mapped to chromosome 1q42-44.

XX

SQ Sequence 2144 BP; 525 A; 531 C; 496 G; 590 T; 2 other;

Query Match 94.9%; Score 1459; DB 21; Length 2144;
Best Local Similarity 99.9%; Pred. No. 0;
Matches 1470; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

```
QY 67 cggcggagccccagccccaccagtcgggagcgcgcgcgagccccgcgcaagctgagc 126
    |||
Db 1 cggcggagccccag-cccaccagtcgggagcgcgcgcgagccccgcgcaagctgagc 59

QY 127 gcctccgccccccaggcgcgcgcgcggccatgtactcggggaaccgcagcggcggc 186
    |||
Db 60 gcctccgccccccaggcgcgcgcgcggccatgtactcggggaaccgcagcggcggc 119

QY 187 cagggctactgggacggcggcgggcgcgctgaggggcggcgccggcggggaca 246
    |||
Db 120 cagggctactgggacggcggcgggcgcgctgaggggcggcgccggcggggaca 179

QY 247 ctgagccccgcgcctcttcagccccggcacctacgagcgctggcgctgctgctgggc 306
    |||
Db 180 ctgagccccgcgcctcttcagccccggcacctacgagcgctggcgctgctgctgggc 239

QY 307 tccattgggctgctggcgctcggaacaacctgctggtgctcgtcctctactacaagttc 366
    |||
Db 240 tccattgggctgctggcgctcggaacaacctgctggtgctcgtcctctactacaagttc 299

QY 367 cagcggctccgcactcccactcacctcctcctggtaacatcagcctcagcgacctgctg 426
    |||
Db 300 cagcggctccgcactcccactcacctcctcctggtaacatcagcctcagcgacctgctg 359

QY 427 gtgtccctcttcggggtcacctttaccttcgtgctcctgctgaggaacggctgggtgtgg 486
    |||
Db 360 gtgtccctcttcggggtcacctttaccttcgtgctcctgctgaggaacggctgggtgtgg 419

QY 487 gacaccgtgggctgcgtgtgggacgggttagcggcagcctcttcgggattgtttccatt 546
    |||
Db 420 gacaccgtgggctgcgtgtgggacgggttagcggcagcctcttcgggattgtttccatt 479

QY 547 gccaccctaaccgtgctggcctatgaacggttacattcgcggtggtccatgccagagtgatc 606
    |||
Db 480 gccaccctaaccgtgctggcctatgaacggttacattcgcggtggtccatgccagagtgatc 539

QY 607 aatttttctgggctggaggccattacctacatctggctctactcactggcgctgggca 666
    |||
Db 540 aatttttctgggctggaggccattacctacatctggctctactcactggcgctgggca 599

QY 667 ggagcacctctcctgggatggaacaggtagcatcctggacgtacacggactaggctgcact 726
    |||
Db 600 ggagcacctctcctgggatggaacaggtagcatcctggacgtacacggactaggctgcact 659

QY 727 gtggactggaaatccaaggatgccaaacgattcctcctttgtgcttttctatttcttggc 786
    |||
Db 660 gtggactggaaatccaaggatgccaaacgattcctcctttgtgcttttctatttcttggc 719

QY 787 tgccctgggtggccctgggtgtcatagccattgctatggccatattctatattccatt 846
    |||
Db 720 tgccctgggtggccctgggtgtcatagccattgctatggccatattctatattccatt 779

QY 847 cgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagattttaaaatat 906
    |||
Db 780 cgaatgcttcgttgtgtggaagatcttcagacaattcaagtgatcaagattttaaaatat 839

QY 907 gaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggctctgttgatg 966
    |||
Db 840 gaaaagaaactggccaaaatgtgctttttaatgatattcaccttcctggctctgttgatg 899

QY 967 ccttatatcgtgatctgcttcttgggtggttaatgggtcatgggtcacctggctcactccaaca 1026
    |||
Db 900 ccttatatcgtgatctgcttcttgggtggttaatgggtcatgggtcacctggctcactccaaca 959
```

Qy 1027 atatctattgtttcgtacctctttgctaaatcgaacactgtatacaatccagtgatttat 1086
 |||
 Db 960 atatctattgtttcgtacctctttgctaaatcgaacactgtatacaatccagtgatttat 1019
 |||
 Qy 1087 gtcttcatgatcagaaagtttcgaagatcccttttgcagcttctgtgcctccgactgctg 1146
 |||
 Db 1020 gtcttcatgatcagaaagtttcgaagatcccttttgcagcttctgtgcctccgactgctg 1079
 |||
 Qy 1147 aggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatcagaccc 1206
 |||
 Db 1080 aggtgccagaggcctgctaaagacctaccagcagctggaagtgaatgcagatcagaccc 1139
 |||
 Qy 1207 attgtgatgtcacagaagatggggacaggccaaagaaaaagtgactttcaactcttct 1266
 |||
 Db 1140 attgtgatgtcacagaagatggggacaggccaaagaaaaagtgactttcaactcttct 1199
 |||
 Qy 1267 tccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagcgacaaaacc 1326
 |||
 Db 1200 tccatcatttttatcatcaccagtgatgaatcactgtcagttgacgacagcgacaaaacc 1259
 |||
 Qy 1327 aatgggtccaaagttgatgtaatccaagttcgtcctttgtaggaatgaagaatggcaacg 1386
 |||
 Db 1260 aatgggtccaaagttgatgtaatccaagttcgtcctttgtaggaatgaagaatggcaacg 1319
 |||
 Qy 1387 aaagatggggccttaaatggatgccacttttggactttcatcataagaagtgtctggaa 1446
 |||
 Db 1320 aaagatggggccttaaatggatgccacttttggactttcatcataagaagtgtctggaa 1379
 |||
 Qy 1447 taccggttctatgtaatatcaacagaaaccttgggtccagcaggaaatccgaattgcccc 1506
 |||
 Db 1380 taccggttctatgtaatatcaacagaaaccttgggtccagcaggaaatccgaattgcccc 1439
 |||
 Qy 1507 tatgctcttgggcctcaggaagaggttgaac 1537
 |||
 Db 1440 tatgctcttgggcctcaggaagaggttgaac 1470
 |||

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
c 1	422.4	27.5	5000	3	US-09-147-522-5	Sequence 5, Appli
2	107.6	7.0	3016	1	US-07-805-123C-1	Sequence 1, Appli
3	107.6	7.0	3016	1	US-08-033-081B-1	Sequence 1, Appli
4	78	5.1	1105	2	US-08-466-103A-15	Sequence 15, Appl
5	73	4.7	1410	4	US-09-255-368-1	Sequence 1, Appli
6	69.2	4.5	1420	1	US-08-358-171-1	Sequence 1, Appli
7	69.2	4.5	1420	3	US-09-090-947-1	Sequence 1, Appli
8	67.2	4.4	1293	4	US-09-255-368-7	Sequence 7, Appli
9	67	4.4	1776	1	US-08-722-001-29	Sequence 29, Appl
10	65.4	4.3	2140	1	US-08-334-698-1	Sequence 1, Appli
11	65.4	4.3	2140	1	US-08-228-932-1	Sequence 1, Appli
12	65.4	4.3	2140	1	US-08-468-939-1	Sequence 1, Appli

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	660.8	43.0	789	10	BI818538	BI818538 603033059
2	644.8	42.0	770	10	BI260681	BI260681 602968193
3	609.8	39.7	909	10	BE894106	BE894106 601438234
4	580.8	37.8	736	10	BI086726	BI086726 602850078
5	577.2	37.6	835	10	BF970560	BF970560 602274056
6	575	37.4	850	10	BI757207	BI757207 603030709
7	565.4	36.8	748	10	BG252201	BG252201 602365072
8	515.8	33.6	741	10	BG564220	BG564220 602586010
9	467.8	30.4	788	10	BF977798	BF977798 602148633
10	461.8	30.0	784	10	BI758685	BI758685 603024224

11	426.8	27.8	631	9	BB640431	BB640431 BB640431
12	426	27.7	819	10	BI088684	BI088684 602851458
13	423	27.5	424	10	BM194008	BM194008 TCAAP1E64
14	406.8	26.5	742	10	BI257225	BI257225 602976885
15	398.4	25.9	615	10	BF132059	BF132059 601821062

SEQ ID NO: 2

SUMMARIES

Result No.	Score	% Match	Query Length	DB	ID	Description
1	2117	100.0	402	21	AAB12827	Human 17723 recept
2	2117	100.0	402	21	AAY98008	Human G-protein co
3	2105	99.4	402	22	AAE12070	Dendritic cell (DC
4	1063	50.2	199	22	AAB64743	Human secreted pro
5	756	35.7	147	21	AAY32195	Human receptor mol
6	664	31.4	163	22	AAE12071	Dendritic cell (DC
7	664	31.4	879	22	AAU31008	Novel human secret
8	572	27.0	123	20	AAY60172	Human endometrium
9	564	26.6	122	21	AAB38327	Human secreted pro
10	459.5	21.7	349	10	AAP90554	Bovine rhodopsin.
11	455	21.5	348	17	AAR93116	Rhodopsin. Homo s
12	451	21.3	348	21	AAY98009	Human rhodopsin re
13	449	21.2	348	14	AAR38483	Rhodopsin protein.
14	424	20.0	354	21	AAY57086	Rhodopsin amino ac
15	420.5	19.9	309	15	AAR48735	G-protein coupled
16	420.5	19.9	309	17	AAW02707	G-protein coupled

RESULT 1

AAB12827

ID AAB12827 standard; Protein; 402 AA.
 XX
 AC AAB12827;
 XX
 DT 05-DEC-2000 (first entry)
 XX
 DE Human 17723 receptor protein SEQ ID NO:1.
 XX
 KW Human; 17723 receptor protein; chromosome 1q42-44; diagnosis; vaccine;
 KW G-protein coupled receptor; gene therapy.
 XX
 OS Homo sapiens.
 XX
 PN WO200043513-A1.
 XX
 PD 27-JUL-2000.
 XX
 PF 21-JAN-2000; 2000WO-US01592.
 XX
 PR 21-JAN-1999; 99US-0234923.
 XX
 PA (MILL-) MILLENNIUM PHARM INC.
 XX
 PI Glucksmann MA;
 XX
 DR WPI; 2000-476196/41.
 DR N-PSDB; AAA73212.
 XX
 PT A G-protein-coupled receptor designated 17723 and the nucleic acids
 PT that encode it, useful for preventing, diagnosing and treating disorder
 PT associated with inappropriate expression of 17723 receptors -
 XX
 PS Claim 1; Page 70-72; 79pp; English.
 XX
 CC The present sequence is the human 17723 receptor protein (I), which

CC belongs to the superfamily of G-protein-coupled receptors. (I) and the
 CC polynucleotide encoding it may be used in the prevention, treatment and
 CC diagnosis of diseases associated with inappropriate 17723 receptor
 CC expression. They may also be used to study the expression and function
 CC of 17723 receptor polypeptides and their role in metabolism. The 17723
 CC receptor polypeptides may be used as antigens in the production of
 CC antibodies against 17723 receptors and in assays to identify modulators
 CC (agonists and antagonists) of 17723 receptor expression and activity.
 CC The anti-17723 receptor antibodies and 17723 receptor antagonists may be
 CC used to down regulate 17723 receptor expression and activity. The
 CC anti-17723 receptor antibodies may also be used as diagnostic agents for
 CC detecting the presence of 17723 receptor polypeptides in samples
 CC (e.g. by enzyme linked immunosorbent assay (ELISA)). The 17723 receptor
 CC protein has been mapped to chromosome 1q42-44.
 XX
 SQ Sequence 402 AA;

Query Match 100.0%; Score 2117; DB 21; Length 402;
 Best Local Similarity 100.0%; Pred. No. 6.3e-222;
 Matches 402; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy 1 MYSGNRSGGHGYWDGGAAGAEGPAPAGTLLSPAPLFPSPGTYERLALLLGSIGLLGVGNL 60
    |||
Db 1 mysgrnsgghgywdggaagaegpapagtlspaplfspgtyerlalllgsigllgvgnl 60

Qy 61 LVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSCLRNGWVWDTVGCVWDGFS 120
    |||
Db 61 lvlvlyykfqrllrtpthlllvnislslldllvslfgvtftfvscrlrngvwtdtvgcvwdgfs 120

Qy 121 GSLFGIVSIATLTVLAYERYIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWNRYI 180
    |||
Db 121 gslfgivsiatltvlayeryirvvharvinfswawraityiwlyslawagapllgwnryi 180

Qy 181 LDVHGLGCTVDWKS KDANDSSFLFLFLGCLVPLGVIAHCYGHILYSIRMLRCVEDLQT 240
    |||
Db 181 ldvhglgctvdwkskdandssflflflgclvplgviahcyghilysirmrlrcvedlqt 240

Qy 241 IQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICFLVNVNGHGLVTPPTISIVSYLFAKS 300
    |||
Db 241 iqvikilkyekklakmcfmiftflvcwmpyivicflvvnghghlvtptisivsylvaks 300

Qy 301 NTVYNPVIYVFMIRKFRSLLQLLCLRLRLRCQRPADLPAGSEMQRPIVMSQKDGDRP 360
    |||
Db 301 ntvynpviyvfmirkfrsllqlclclrlrlrcrpakdlpaagsemqirpivmsqkdgdrp 360

Qy 361 KKKVTFNSSSIIFIITSDESLSVDDSDKTNNGSKVDVIQVRPL 402
    |||
Db 361 kkkvtfnsssiifiitsdeslsvddsdktngskvdiviqrpl 402

```

RESULT 2

AA98008

ID AAY98008 standard; Protein; 402 AA.

XX

AC AAY98008;

XX

DT 31-AUG-2000 (first entry)

XX

DE Human G-protein coupled receptor, HG51.

XX

KW Human; G-protein coupled receptor; HG51; signal transduction;

KW rhodopsin receptor; obesity; type II diabetes;

KW inflammatory bowel disease; constipation; diarrhoea; gene therapy.

XX

OS Homo sapiens.

XX

PN WO200031108-A1.

XX

PD 02-JUN-2000.

XX

PF 18-NOV-1999; 99WO-US27305.
XX
PR 24-NOV-1998; 98US-0109717.
XX
PA (MERI) MERCK & CO INC.
XX
PI Liu Q, McDonald TP;
XX
DR WPI; 2000-400025/34.
DR N-PSDB; AAA38861.
XX

PT New DNA encoding human HG51 (a G-protein coupled receptor), useful in
PT chromosomal mapping studies for identifying the chromosomal locations
PT of the HG51 gene(s) -
XX

PS Claim 23; Fig 2; 68pp; English.
XX

CC G protein-coupled receptors (GPCR) are important in signal transduction
CC from the exterior to the interior of cells. Rhodopsin receptors are a
CC type of GPCR which comprise a chromophore-binding pocket which is
CC covalently linked by a protonated Schiff base to a Lys residue in
CC transmembrane domain 7. The present sequence is the human HG51 GPCR and
CC is a member of the rhodopsin receptor family of GPCRs. Due to the Lys
CC residue and Schiff base present in HG51, it is thought that the HG51
CC ligand may be a fatty-acid-like molecule. It is also believed that
CC agonists and antagonists of HG51 are useful for treating various
CC disorders such as obesity, type II diabetes, inflammatory bowel disease,
CC constipation or diarrhoea. In addition, the coding sequence for the
CC present sequence may be used in gene therapy for the above mentioned
CC disorders.
XX

SQ Sequence 402 AA;

Query Match 100.0%; Score 2117; DB 21; Length 402;
Best Local Similarity 100.0%; Pred. No. 6.3e-222;
Matches 402; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 MYSGNRSGGHGYWDGGGAAGAEGPAPAGTLPAPLFPSPGTYERLALLLSIGLLGVGNL 60
|||
Db 1 mysgnrsgghgywdgggaagaegpapagtlspaplfspgtyerlalllgsigllgvgnl 60

QY 61 LVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSLRNGWVWDTVGCVWDGFS 120
|||
Db 61 lvlvlyykfqrlrtphlllvnislslldllvslfvgvtfvsvclrngwvwdtvgcvwdgfs 120

QY 121 GSLFGIVSIATLTVLAYERIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWNRYI 180
|||
Db 121 gslfgivsiatltvlayeryirvvharvinfswawraityiwlyslawagapllgwnryi 180

QY 181 LDVHGLGCTVDWKSKDANDSSFVLFGLGCLVPLGVIAHCYGHILYSIRMLRCVEDLQT 240
|||
Db 181 ldvhglgctvdwkskdandssfvlfglgclvplgviahcyghilysirmlrcvedlqt 240

QY 241 IQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICFLVNVNGHGLVTPPTISIVSYLFAKS 300
|||
Db 241 iqvikilkyekklakmcfmiftflvcwmpyivicflvnvngghlvtptisivsylvaks 300

QY 301 NTVYNPVIYVFMIRKFRSLLQLLCLRLLRQRPADLPAAGSEMQRPIVMSQKDGDRP 360
|||
Db 301 ntvynpviyvmirkfrsllqlclrlrrcpakdlpaagsemqirpivmsqkdgdrp 360

QY 361 KKKVTFNSSSIIFIITSDESLSVDDSDKTNGSKVDVIQVRPL 402
|||
Db 361 kkkvtfnsssiifiitsdeslsvddsdktngskvdviqvrpl 402

RESULT 3
AAE12070
ID AAE12070 standard; Protein; 402 AA.
XX

AC AAE12070;
 XX
 DT 18-DEC-2001 (first entry)
 XX
 DE Dendritic cell (DC) DCEPR protein.
 XX
 KW Dendritic cell; DC; DCEPR protein; gene therapy; dermatological; vaccine;
 KW atopic dermatitis; autoimmune disease; inflammatory skin disease; cancer;
 KW immunosuppressive; AIDS; Acquired immune deficiency syndrome; cytostatic;
 KW chromosomal identification; pharmaceutical; hypersensitivity; virucide;
 KW transplant rejection; chronic inflammatory disease; anti-HIV.
 XX
 OS Unidentified.
 XX
 PN WO200172773-A2.
 XX
 PD 04-OCT-2001.
 XX
 PF 28-MAR-2001; 2001WO-EP03542.
 XX
 PR 29-MAR-2000; 2000US-192934P.
 PR 18-MAY-2000; 2000US-205020P.
 PR 18-MAY-2000; 2000US-205026P.
 PR 19-MAY-2000; 2000US-205767P.
 PR 19-MAY-2000; 2000US-205769P.
 XX
 PA (NOVS) NOVARTIS AG.
 PA (NOVS) NOVARTIS-ERFINDUNGEN VERW GES MBH.
 XX
 PI Werner G, Phares W, Jaritz M, Lapp H, Kalthoff FS;
 XX
 DR WPI; 2001-616466/71.
 DR N-PSDB; AAD19720.
 XX
 PT New polypeptides for screening therapeutic agonists and antagonists
 PT comprise dendritic cell polypeptides -
 XX
 PS Claim 2; Page 42; 52pp; English.
 XX
 CC The invention relates to dendritic cell (DC) proteins and their
 CC corresponding DNA molecules. A pharmaceutical composition comprising
 CC agonist and antagonist of DC proteins are useful for treating abnormal
 CC conditions related to both an excess of and insufficient level of
 CC expression of DC gene, or related to both an excess of and insufficient
 CC activity of DC protein. Soluble form of DC proteins are used as an active
 CC ingredient in combination with pharmaceutical acceptable carriers.
 CC DC genes and proteins are useful for treating chronic inflammatory
 CC diseases, autoimmune diseases, transplant rejection crisis, including
 CC inflammatory skin diseases such as contact hypersensitivity, atopic
 CC dermatitis or virally-induced immune suppression such as AIDS and cancer.
 CC DC protein is useful for inducing immunological response in a mammal, and
 CC as immunogen to produce antibodies immunospecific for the polypeptide.
 CC DC gene is useful in gene therapy. DC gene is also useful as a diagnostic
 CC reagent, and for chromosomal identification. The present sequence is
 CC dendritic cell (DC) DCEPR protein which is found to belong to the family
 CC of G-protein coupled receptor protein.
 XX
 SQ Sequence 402 AA;

Query Match 99.4%; Score 2105; DB 22; Length 402;
 Best Local Similarity 99.5%; Pred. No. 1.3e-220;
 Matches 400; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 MYSGNRSGGHGYWDGGGAAGAEGPAPAGTSLSPAPLFSFGTYERLALLLGSIGLLGVGNL 60
 |||||||||||||||||||||:|||||||||||||||||||||||||||||||
 Db 1 mysgnrsggghgywdgggaagakgpapagtlspaplfspgtyerlalllgsigllgvgnl 60
 QY 61 LVLVLYYKFQRLRTPHLLLVNISLSDLLVSLFGVTFTFVSLRNGWVWDTVGCVWDGFS 120
 |||||||||||||||||||||:|||||||||||||||||||||||||||||||
 Db 61 lvlvlyykfqlrtpthlllvnislslldllvslfgvtftfvslrngwvwdtvgcvwdgfs 120

QY 121 GSLFGIVSIATLTVLAYERYIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWNRYI 180
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 gslfgivsiatltvlayeryirvvharvinfswawraityiwlyslawagapllgwnryi 180
 QY 181 LDVHGLGCTVDWKS KDANDSSFLVFLFLGCLVVPLGVIAHCYGHILYSIRMLRCVEDLQT 240
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 181 ldvhgilgctvdwkskdandssflvflflgclvvplgviahcyghilysirmrlrcvedlqt 240
 QY 241 IQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICFLVVNGHGHVLTPTISIVSYLFAKS 300
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 241 iqvikilkyekklakmcfmiftflvcwmpyivicflvvnghghlvtptisivsylvaks 300
 QY 301 NTVYNPVIYVFMIRKFRRLQLLCLRLRCQRPADLPAAGSEMQRPIVMSQKDGDRP 360
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 301 ntvynpviyvmirkfrsllqlclrlrcqrakdlpaagsemqirpivmsqkdgdrp 360
 QY 361 KKKVTFNSSIIIFIITSDESLSVDDSDKTNGSKVDVIQVRPL 402
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 361 kkkvtfnsssiifigtsdeslsvddsdktngskvdviqvrpl 402

RESULT 4

AAB64743

ID AAB64743 standard; Protein; 199 AA.

XX

AC AAB64743;

XX

DT 23-MAR-2001 (first entry)

XX

DE Human secreted protein sequence encoded by gene 15 SEQ ID NO:137.

XX

KW Human; secreted protein; diagnosis; cytostatic; antirheumatic;
 KW antiarthritic; dermalogical; cardiant; antiinflammatory; anti-ulcer;
 KW gastrointestinal; solid tumour; rheumatoid arthritis; psoriasis;
 KW diabetic retinopathy; myocardial angiogenesis; Crohn's disease;
 KW ulcer.

XX

OS Homo sapiens.

XX

PN WO200077237-A1.

XX

PD 21-DEC-2000.

XX

PF 01-JUN-2000; 2000WO-US14928.

XX

PR 11-JUN-1999; 99US-0138633.

XX

PA (HUMA-) HUMAN GENOME SCI INC.

PA (ROSE/) ROSEN C A.

XX

PI Rosen CA, Ruben SM, Komatsoulis GA;

XX

DR WPI; 2001-071280/08.

XX

PT Nucleic acids encoding 49 human secreted polypeptides, useful for
 PT preventing, diagnosing and/or treating diseases such as tumors,
 PT rheumatoid arthritis, psoriasis and diabetic retinopathy -

XX

PS Disclosure; Page 503; 520pp; English.

XX

CC The polynucleotide sequences given in AAF33037 to AAF33085 encode the
 CC human secreted proteins given in AAB64666 to AAB64714. AAB64715 to
 CC AAB64771 represent human secreted polypeptide sequences and proteins
 CC homologous to them, which are given in the exemplification of the present
 CC invention. Human secreted proteins have activities based on the tissues
 CC and cells the genes are expressed in. Examples of activities include:
 CC cytostatic; antirheumatic; antiarthritic; dermalogical; cardiant;
 CC antiinflammatory; gastrointestinal; and anti-ulcer. The polynucleotides
 CC and polypeptides can be used in the prevention, treatment and diagnosis
 CC of diseases associated with inappropriate polypeptide expression.

CC Disorders that may be treated or prevented include solid tumours,
 CC rheumatoid arthritis, psoriasis, diabetic retinopathy, myocardial
 CC angiogenesis, Crohn's disease and ulcers. The polynucleotides and their
 CC complementary sequences may also be used as DNA probes in diagnostic
 CC assays (e.g. polymerase chain reactions (PCR)) to detect and quantitate
 CC the presence of similar nucleic acid sequences in samples, and therefore
 CC which patients may be in need of restorative therapy. The polypeptides
 CC may also be used as antigens in the production of antibodies against the
 CC polypeptide and in assays to identify modulators (agonists and
 CC antagonists) of polypeptide expression and activity. The anti-polypeptide
 CC antibodies and antagonists may also be used to down regulate expression
 CC and activity. AAF33028 to AAF33036 and AAB64665 represent sequences used
 CC in the exemplification of the present invention.

XX

SQ Sequence 199 AA;

Query Match 50.2%; Score 1063; DB 22; Length 199;
 Best Local Similarity 100.0%; Pred. No. 2e-107;
 Matches 199; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 118 GFSGSLFGIVSIATLTVLAYERIRVVHARVINFSWAWRAITYIWLYSLAWAGAPLLGWN 177
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 1 gfsgslfgivsiatltvlayerirvvharvinfswawraityiwlyslawagapllgwn 60
 QY 178 RYILDVHGLGCTVDWKS KDANDSS FVLFLFLGCLVVPLGVIAHCYGHILYSIRMLRCVED 237
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 61 ryildvhglgctvdwkskdandssfvflflgclvvplgviahcyghilysirmlrcved 120
 QY 238 LQTIQVIKILKYEKKLAKMCFMIFTFLVCWMPYIVICFLVVNGHGHVLTPTISIVSYLF 297
 ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
 Db 121 lqtiqvikilkyekklakmcfmiftflvcwmpyivicflvvnghghlvtptisivsylv 180
 QY 298 AKSNTVYNPVIYVFMIRKF 316
 ||||||||||||||||
 Db 181 aksntvynpviyvmirkf 199

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	451	21.3	348	2	US-08-390-000A-8	Sequence 8, Appli
2	444	21.0	348	4	US-08-430-286A-11	Sequence 11, Appl
3	420.5	19.9	309	1	US-08-118-270-56	Sequence 56, Appl
4	420.5	19.9	309	5	PCT-US93-08528-56	Sequence 56, Appl
5	354.5	16.7	297	1	US-08-118-270-58	Sequence 58, Appl
6	354.5	16.7	297	5	PCT-US93-08528-58	Sequence 58, Appl
7	341.5	16.1	305	1	US-08-118-270-59	Sequence 59, Appl
8	341.5	16.1	305	5	PCT-US93-08528-59	Sequence 59, Appl
9	338.5	16.0	297	1	US-08-118-270-57	Sequence 57, Appl
10	338.5	16.0	297	5	PCT-US93-08528-57	Sequence 57, Appl
11	309	14.6	391	1	US-07-816-283-2	Sequence 2, Appli
12	309	14.6	391	1	US-08-417-103-2	Sequence 2, Appli
13	309	14.6	391	1	US-08-417-103-14	Sequence 14, Appl
14	304	14.4	391	1	US-07-816-283-4	Sequence 4, Appli
15	304	14.4	391	1	US-08-417-103-4	Sequence 4, Appli

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	477.5	22.6	349	1	JC5490	opsin, pineal glan
2	475	22.4	351	1	A55962	opsin, pineal glan
3	464	21.9	352	2	I50081	rhodopsin - green
4	458	21.6	348	1	O0BO	rhodopsin - bovine
5	456.5	21.6	348	1	JC4267	opsin - rabbit
6	455	21.5	348	1	S23398	rhodopsin - Chines
7	452.5	21.4	351	2	S29152	rhodopsin - chicke

8	451	21.3	348	1	OOHU	rhodopsin - human
9	451	21.3	354	1	S27231	rhodopsin - northe
10	450	21.3	348	1	A23665	opsin - mouse
11	448	21.2	354	1	I51200	rhodopsin - Africa

Result No.	Score	Query Match	Length	DB	ID	Description
1	2117	100.0	402	1	OPN3_HUMAN	Q9hly3 homo sapien
2	1862	88.0	400	1	OPN3_MOUSE	Q9wuk7 mus musculu
3	477.5	22.6	349	1	OPSP_COLLII	P51476 columba liv
4	475	22.4	351	1	OPSP_CHICK	P51475 gallus gall
5	468	22.1	352	1	OPSD_ALLMI	P52202 alligator m
6	466.5	22.0	444	1	OPSP_PETMA	O42490 petromyzon
7	464	21.9	352	1	OPSD_ANOCA	P41591 anolis caro
8	458	21.6	348	1	OPSD_BOVIN	P02699 bos taurus
9	456.5	21.6	348	1	OPSD_RABIT	P49912 oryctolagus
10	455	21.5	348	1	OPSD_CRIGR	P28681 cricetus
11	455	21.5	348	1	OPSD_MACFA	Q28886 macaca fasc
12	455	21.5	354	1	OPSD_RANCA	P51470 rana catesb

RESULT 1

OPN3_HUMAN

ID OPN3_HUMAN STANDARD; PRT; 402 AA.

AC Q9HLY3; Q9Y344;

DT 16-OCT-2001 (Rel. 40, Created)

DT 16-OCT-2001 (Rel. 40, Last sequence update)

DT 01-MAR-2002 (Rel. 41, Last annotation update)

DE Opsin 3 (Encephalopsin) (Panopsin).

GN OPN3 OR ECPN.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=99252448; PubMed=10234000;

RA Blackshaw S., Snyder S.H.;

RT "Encephalopsin: a novel mammalian extraretinal opsin discretely

RT localized in the brain.";

RL J. Neurosci. 19:3681-3690(1999).

RN [2]

RP SEQUENCE FROM N.A.

RX MEDLINE=21295039; PubMed=11401433;

RA Halford S., Freedman M.S., Bellingham J., Inglis S.L.,

RA Poopalasundaram S., Soni B.G., Foster R.G., Hunt D.M.;

RT "Characterization of a novel human opsin gene with wide tissue

RT expression and identification of embedded and flanking genes on

RT chromosome 1q43.";

RL Genomics 72:203-208(2001).

RN [3]

RP SEQUENCE FROM N.A.

RA Parker A.;

RL Submitted (JAN-2001) to the EMBL/GenBank/DDBJ databases.

CC -!- FUNCTION: May play a role in encephalic photoreception.

CC -!- SUBCELLULAR LOCATION: Integral membrane protein.

CC -!- TISSUE SPECIFICITY: Strongly expressed in brain. Highly expressed

CC in the preoptic area and paraventricular nucleus of the

CC hypothalamus. Shows highly patterned expression in other regions

CC of the brain, being enriched in selected regions of the cerebral

CC cortex, cerebellar Purkinje cells, a subset of striatal neurons,

CC selected thalamic nuclei, and a subset of interneurons in the

CC ventral horn of the spinal cord.

CC -!- SIMILARITY: BELONGS TO FAMILY 1 OF G-PROTEIN COUPLED RECEPTORS.

CC OPSIN SUBFAMILY.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

Result	Query					Description
	No.	Score	Match	Length	ID	
1	500.5	23.6	352	13	Q9W6K3	Q9w6k3 anolis caro
2	491.5	23.2	534	13	O57422	O57422 xenopus lae
3	484.5	22.9	346	13	Q9PUA9	Q9pua9 bufo japoni
4	480	22.7	357	13	Q9IBH2	Q9ibh2 phelsuma ma
5	473.5	22.4	377	13	Q9IB88	Q9ib88 brachydanio
6	473	22.3	543	13	Q90YK6	Q90yk6 gallus gall
7	458	21.6	348	6	Q95KU1	Q95ku1 felis silve
8	457.5	21.6	351	13	Q9IA36	Q9ia36 poephila gu
9	455.5	21.5	351	13	Q9W6S0	Q9w6s0 columba liv
10	455	21.5	363	13	Q98TH3	Q98th3 cynops pyrr
11	453.5	21.4	322	13	O57448	O57448 anas platyr